


Brand hansgrohe
 Art. Name **Crometta S** Showerpipe 240 1jet EcoSmart Reno
 Art. Nr. 27270000
 Surface Chrome

Product picture



Drawing



Features

- consists of: overhead shower, hand shower, shower bar, slider, shower hose
- overhead shower Crometta S 240
- shower head size overhead shower: 240 mm
- spray type overhead shower: Rain
- spray disc surface: chrome
- spray type hand shower: Rain, IntenseRain
- maximum flow rate of hand shower at 3 bar: 8,2 l/min
- maximum flow rate for Showerpipe at 3 bar: 8,6 l/min
- minimum flow pressure: 0,8 bar
- max. operating pressure: 6 bar
- ball-joint: overhead shower angle adjustable
- slide inclination angle can be adjusted by 45°
- mounting type: exposed installation
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable hand shower holder
- shower arm length: 350 mm
- water connection: Isiflex shower hose 80 cm
- connection dimension: DN15
- connection thread: G 1/2
- suitable for continuous flow water heaters

Technology



Spray Types




Certificates



Brand hansgrohe
 Art. Name **Crometta S** Showerpipe 240 1jet EcoSmart Reno
 Art. Nr. 27270000
 Surface Chrome

Flow chart



1 Hand shower
 2 Overhead shower

The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

Page 3 | 3