

SH
SCHLÖSSER®

Heiztechnik Gruppe Polska
spółka z ograniczoną odpowiedzialnością sp.k.



DESIGN, QUALITY, INDEPENDENCE

PRODUCT CATALOGUE 2017



COMPLETE INTERIORS

In interior design details create harmony. Stylish, original, attention-grabbing – they determine the character of a given interior, bring the design together, make up the whole. Our fittings are the last detail that makes your world ideal.

It's time for details! Perfection depends on small things...

HOW TO READ THE CATALOGUE?

Check out the current offer presented in the catalogue. The new way of presentation means that selecting the right product has been made even easier.

GENERAL PICTOGRAMS



Product in the Standard group separated based on the discounting method. The group includes the basic assortment (attractive prices, standard finishes, availability).



Product in the Exclusive group separated based on the discounting method. The group includes non-standard assortment (decorative finishes, colours, custom-made goods, higher prices).



additional information

RAL/SPECIAL

assortment available in the RAL pallet colours and structural finishes.

Detailed information on ordering painted products can be found in the Painted assortment section, page 112-134.



Arrows indicate the configuration of the sides of the supply and return pipe in the product or set.

THERMOSTATIC HEADS PICTOGRAMS



Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension



Compatible with Herz valves



Compatible with Comap valves




Compatible with Danfoss RA-N inserts and valves




Compatible with Danfoss RTD-N inserts and valves

CONNECTION DIAGRAMS


Miniature drawings present the typical method of connection of a given set/valve.



Angle pattern



H-valve



Angle thermostatic set

INDEX

About the company

6

Thermostatic Heads

8

Standard Valves

20

Standard Valve Sets

28

Exclusive Valves

34

Exclusive Valve Sets

52

Underfloor Heating

88

Sanitary Fittings

98

Accessories

102

Painted Assortment

112

Charitable Activity

134


OUR PHILOSOPHY – YOUR STYLE

Schlosser Heiztechnik Gruppe Polska Sp. z o.o. Sp.k. is a manufacturer of thermostatic heads and heating accessories.

6

We offer series of elegant and attractive products available in a wide range of colours. Thanks to a variety not provided by any other manufacturer our offer is among the most interesting in the Polish market.


We follow the imagination of our customers and surprise with our flexibility. We help create fascinating interiors with passion. We are both innovative and pragmatic.



HISTORY OF THE COMPANY

Schlösser Heiztechnik Gruppe Polska sp. z o.o. sp.k. is a polish manufacturer of heating accessories. What makes us unique? Experience, passion and great dreams.

7



THERMOSTATIC HEADS

Thermostatic heads are Schlösser flagship products. We offer them in variety of patterns and colours which is uncommon for what other manufacturers offer. Whatever the technical or design demands for heating installation are we are able to meet Your needs.

- **Economy-type**, building investment head and **up-market decorative ones**. Thermostatic heads are available in all RAL palette colours, in gloss and matt finishes.
- **Thermostatic heads with capillary** where the temperature measuring element is located outside the head, and is connected by means of a special capillary.
- **Programmable electronic head** – simple to operate, universal programmable thermostat regulating the work of radiators.

At the request of customers we offer heads with:

- personalised logo
- anti-theft protection
- blockade and temperature limitation to any range chosen, e.g. 8 -16°C, 0-24°C, 16-30°C.

Thermostatic Heads Invest _____	10
Thermostatic Heads Diamant _____	11
Thermostatic Heads Diamant Plus _____	12
Thermostatic Heads Brillant _____	13
Thermostatic Heads Brillant Invest _____	15
Programmable Electronic Heads _____	16
Thermostatic Heads Mini _____	17
Thermostatic Heads With Capillary _____	18



THERMOSTATIC HEADS

THERMOSTATIC HEADS INVEST



Thermostatic heads in a set with a thermostatic valve or radiator insert regulate the ambient temperature by changing the flow of the heating medium through the radiator. They allow individual regulation of temperature in separate rooms and **reduce energy consumption.**

10



Thermostatic Head
600100030

Product code	Colour	Connection thread	Important notice	Additional information
600100030	S White	M30x1,5	SH	Compatible with all Schöller valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600100031	S Metallised	M30x1,5	SH	
600600010	S White	M30x1,5	SH	

Thermostatic Head Diamant SH 600100001



* minimum order quantity 1 000 pcs

For orders of 500 pcs
and more
the thermostatic heads
can come with
your **OWN LOGO!**

THERMOSTATIC HEADS DIAMANT



Thermostatic Head
600100001

Product code		Colour	Connection thread		Additional information
600100001	S	White	M30x1,5	SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600100002	S	White	M28x1,5	HT	Compatible with Herz valves
600100003	S	White	M28x1,5	C	Compatible with Comap valves



Thermostatic Head DZ
600100004

Product code		Colour	Connection thread		Additional information
600100004	S	White	RA-N	DZ	Compatible with Danfoss RA-N inserts and valves



Thermostatic Head DR
600100005

Product code		Colour	Connection thread		Additional information
600100005	S	White	RTD-N	DR	Compatible with Danfoss RTD-N inserts and valves

THERMOSTATIC HEADS

THERMOSTATIC HEADS DIAMANT PLUS

12



Thermostatic head SH
600100011

Product Code		Colour	Connection thread		Additional information
600100011	S	White-Chrome	M30x1,5	SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600100012	S	White-Chrome	M28x1,5	HT	Compatible with Herz valves
600100013	S	White-Chrome	M28x1,5	C	Compatible with Comap valves
600100017	S	White	M28x1,5	HT	Compatible with Herz valves
600100018	S	White	M28x1,5	C	Compatible with Comap valves



Thermostatic head DZ
600100014

Product Code		Colour	Connection thread		Additional information
600100014	S	White-Chrome	RA-N	DZ	Compatible with Danfoss RA-N inserts and valves
600100019	S	White	RA-N	DZ	



Thermostatic head DR
600100015

Product Code		Colour	Connection thread		Additional information
600100015	S	White-Chrome	RTD-N	DR	Compatible with Danfoss RTD-N inserts and valves
600100020	S	White	RTD-N	DR	

Order heads
with individually
selected range
of temperatures
or anti-theft
protection.

THERMOSTATIC HEADS BRILLANT



Thermostatic head
600200003

13

Product Code		Colour	Connection thread		Additional information
600200001	E	White-Chrome	M30x1,5	SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600200002	E	White	M30x1,5	SH	
600200003	E	Chrome	M30x1,5	SH	
600200004	E	Satin	M30x1,5	SH	
600200005	E	Steel	M30x1,5	SH	
600200007	E	Gold	M30x1,5	SH	
600200011	E	Black Chrome	M30x1,5	SH	
600200012	E	Antique copper	M30x1,5	SH	
600200013	E	Antique brass	M30x1,5	SH	Compatible with Herz valves
600300001	E	White-Chrome	M28x1,5	HT	
600300002	E	White	M28x1,5	HT	
600300003	E	Chrome	M28x1,5	HT	
600300004	E	Satin	M28x1,5	HT	
600300005	E	Steel	M28x1,5	HT	
600400001	E	White-Chrome	M28x1,5	C	Compatible with Comap valves
600400002	E	White	M28x1,5	C	
600400003	E	Chrome	M28x1,5	C	
600400004	E	Satin	M28x1,5	C	
600400005	E	Steel	M28x1,5	C	

THERMOSTATIC HEADS

THERMOSTATIC HEADS BRILLANT

14



Thermostatic head DZ
600500007

Product Code		Colour	Connection thread		Additional information
600500001	E	White – Chrome	RA-N	DZ	Compatible with Danfoss RA-N inserts and valves
600500004	E	White	RA-N	DZ	
600500007	E	Chrome	RA-N	DZ	
600500009	E	Satin	RA-N	DZ	
600500011	E	Steel	RA-N	DZ	



Thermostatic head DR
600500008

Product Code		Colour	Connection thread		Additional information
600500002	E	White – Chrome	RTD-N	DR	Compatible with Danfoss RTD-N inserts and valves
600500005	E	White	RTD-N	DR	
600500008	E	Chrome	RTD-N	DR	
600500010	E	Satin	RTD-N	DR	
600500012	E	Steel	RTD-N	DR	

THERMOSTATIC HEADS BRILLANT INVEST

15



Thermostatic head
600600004

Product Code		Colour	Connection thread		Additional information
600600003	E	White	M30 x 1,5	SH	Compatible with all SchöSSLER valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600600004	E	White – Chrome	M30 x 1,5	SH	



Thermostatic head
600600006

Product Code		Colour	Connection thread		Additional information
600600005	E	White	M30 x 1,5	SH	Compatible with all SchöSSLER valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
600600006	E	White – Chrome	M30 x 1,5	SH	
600600009	E	Chrome	M30 x 1,5	SH	

Thermostatic head Mini DZ 601100050



THERMOSTATIC HEADS

PROGRAMMABLE ELECTRONIC HEADS



Schlösser electronic head is a programmable thermostat that regulates radiators' work. It's easy to montage, handle, and may be used universally (it can be connected with all M30x1.5 threaded valves and through a special adapter with RA Danfoss valves). Electronic head ensures quick adjustment of a room temperature and significant energy savings.

16

Advantages of using programmable electronic head:

- very easy assembly and programming
- possibility of setting 8 different heating programmes for a day (e.g. 4 heating and 4 economic periods)
- possibility of setting different heating programs for every day of a week
- information about currently running heating program
- automatic freezing protection – when temperature falls below 6°C the head opens the valve. The flow of the heating medium is increased till the moment when the room temperature rises up to 8°C.
- automatic limescale protection
- self-acting valve closure as a response for sudden change of temperature in a room (after opening the window for example)
- TRAVEL function which enables keeping set room temperature during whole the time of a trip
- information about necessity of battery replacement
- possibility of blocking the buttons in order to protect heating system from an unauthorized use
- wide temperature operating scale: up to 8-28°C
- multifunctional LCD display



Programmable electronic
thermostatic head

601100001

Product Code	Colour	Temperature regulation range (°C)	Connection thread	Additional information
601100001	 White	10-28	M30x1,5	 Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
601100004	 White	10-28	RA-N	 Compatible with Danfoss RA-N inserts and valves

THERMOSTATIC HEADS MINI

17



Thermostatic head Mini Brillant SH
601100030

Product Code		Colour	Connection thread		Additional information
601100027	E	Gold matt	M30x1,5	SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
601100030	E	White-Chrome	M30x1,5	SH	
601100031	E	White	M30x1,5	SH	
601100034	E	Chrome	M30x1,5	SH	
601100035	E	Satin	M30x1,5	SH	
601100036	E	Steel	M30x1,5	SH	
601100037	E	Antique copper	M30x1,5	SH	
601100038	E	Antique brass	M30x1,5	SH	



Thermostatic head Mini Diamant
601100033

Product Code		Colour	Connection thread	uwagi	Additional information
601100033	S	White	M30x1,5	SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension
601100048	S	White	RA-N	DZ	Compatible with Danfoss RA-N inserts and valves
601100053	S	Metallised	M30x1,5	SH	Do not clean the head with chemicals Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension

THERMOSTATIC HEADS

THERMOSTATIC HEADS MINI

18



Thermostatic head Mini Dz
601100049

Product Code	Colour	Connection thread	Additional information
601100049	E White	RA-N	DZ
601100050	E White – Chrome	RA-N	DZ

Compatible with Danfoss RA-N inserts and valves

THERMOSTATIC HEADS WITH CAPILLARY



Thermostatic heads with capillary are used for regulating water or air temperature in exchange systems, air heaters or in mixed underfloor heating systems.

In the case of a surface sensor the actual temperature affecting the liquid sensor is significantly affected by its positioning and fixing method. It is recommended that:

- the sensor should be placed directly in the air stream,
- the sensor should be affixed to the pipe surface by means of clamps or to the container with the heating medium by means of a pipe pocket found on the container and immersed in water, made leak-tight using a gland seal.



Thermostatic head Diamant
with remote sensor
600100009

Product Code	Colour	Temperature regulation range (°C)	Connection thread	Additional information
600100009	S White	8 - 30	M30x1,5	SH

Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension

THERMOSTATIC HEADS WITH CAPILLARY



Thermostatic head
with surface sensor
600100010

19

Product Code	Colour	Temperature regulation range (°C)	Connection thread	Additional information
600100010	S White	20 - 60	M30x1,5 SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension



Thermostatic head Brillant
with remote sensor SH
600200016

Product Code	Colour	Temperature regulation range (°C)	Connection thread	Additional information
600200016	E White - Chrome	8 - 30	M30x1,5 SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension



Thermostatic head
with surface sensor
600200017

Product Code	Colour	Temperature regulation range (°C)	Connection thread	Additional information
600200017	E White - Chrome	20 - 60	M30x1,5 SH	Compatible with all Schlösser valves, as well as other valves with M30x1,5 connection thread and 11,5 mm closing dimension

STANDARD VALVES

The Standard series includes thermostatic valves, manual valves, lockshield valves and H-valves. These products come in various configurations and connection patterns allowing their adjustment to the different types of heating systems.


Thermostatic Valves	22
Lockshield Valves	23
Manual Valves	24
H-Valves	26




DREAM BIG
LIVE SIMPLY
GIVE LOVE
LAUGH LOTS
BE GRATEFUL

STANDARD VALVES


THERMOSTATIC VALVES




Thermostatic valve angle




Thermostatic valve straight



Thermostatic valve side-angle right



Thermostatic valve side-angle left



Thermostatic valve axial



Thermostatic valves are suitable for connecting to a central heating radiator on the supply pipe. They are compatible with all Schlösser heads as well as other heads with M30x1,5 connection thread and 11,5 mm closing dimension. These valves allow pre-setting which ensures optimal distribution of water in the system, thus increasing comfort and reducing energy consumption.

22




Thermostatic valve, straight
601200004



Thermostatic valve, angle
601200005

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
601200003	S	Nickel plated	1/2"	axial			
601200008	S	Nickel plated	M22 x 1,5	axial			
601200018	S	Nickel plated	3/8"	axial			
601200002	S	Nickel plated	3/8"	angle			
601200005	S	Nickel plated	1/2"	angle			
601200010	S	Nickel plated	M22 x 1,5	angle			Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601200001	S	Nickel plated	3/8"	straight			
601200004	S	Nickel plated	1/2"	straight			
601200009	S	Nickel plated	M22 x 1,5	straight			Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601200007	S	Nickel plated	1/2"	side-angle left	↑		
601200012	S	Nickel plated	M22 x 1,5	side-angle left	↑		Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601200006	S	Nickel plated	1/2"	side-angle right		↑	
601200011	S	Nickel plated	M22 x 1,5	side-angle right		↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106



Lockshield
valve angle

Lockshield
valve straight

LOCKSHIELD VALVES

Lockshield valves are suitable for connecting to a radiator on the return system pipe. They incorporate the pre-setting function as well, which is used for flow regulating in central heating pipes.



Lockshield valve, angle
601300002



Lockshield valve, straight
601300004


Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
601300001	S Nickel plated	3/8"	3/8"	angle	
601300002	S Nickel plated	1/2"	1/2"	angle	
601300006	S Nickel plated	M22x1,5	1/2"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601300012	S Nickel plated	φ15 mm	1/2"	angle	Solder end φ15 mm Cu
601300003	S Nickel plated	3/8"	3/8"	straight	
601300004	S Nickel plated	1/2"	1/2"	straight	
601300008	S Nickel plated	M22x1,5	1/2"	straight	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601300014	S Nickel plated	φ15 mm	1/2"	straight	Solder end φ15 mm Cu

Thermostatic head Diamant SH 600100001



STANDARD VALVES

MANUAL VALVES



Manual valves are suitable for connecting to a radiator on the supply or return pipe. They enable individual shut off or replacement of the radiator without draining the system. They also enable the pre-setting feature that is used for flow regulation in central heating systems. As a result they combine features of a regulation valve on the supply and lockshield valve on the return.




Manual valve, angle
601400002



Manual valve, straight
601400004

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Additional information
601400001	S	Nickel plated	3/8"	3/8"	angle	
601400002	S	Nickel plated	1/2"	1/2"	angle	
601400006	S	Nickel plated	M22x1,5	1/2"	angle	Pipe connectors for the valve need to be ordered separately, listed on page. 104-106
601400012	S	Nickel plated	φ15 mm	1/2"	angle	Solder end φ15 mm Cu
601400003	S	Nickel plated	3/8"	3/8"	straight	
601400004	S	Nickel plated	1/2"	1/2"	straight	
601400008	S	Nickel plated	M22x1,5	1/2"	straight	Pipe connectors for the valve need to be ordered separately, listed on page. 104-106
601400014	S	Nickel plated	φ15 mm	1/2"	straight	Solder end φ15 mm Cu



MANUAL VALVES



Manual valve, angle
601400016



Manual valve, straight
601400018


Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
601400015	S Nickel plated	3/8"	3/8"	angle	
601400016	S Nickel plated	1/2"	1/2"	angle	
601400019	S Nickel plated	M22x1,5	1/2"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601400022	S Nickel plated	φ15 mm	1/2"	angle	Solder end φ15 mm Cu
601400017	S Nickel plated	3/8"	3/8"	straight	
601400018	S Nickel plated	1/2"	1/2"	straight	
601400020	S Nickel plated	M22x1,5	1/2"	straight	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601400024	S Nickel plated	φ15 mm	1/2"	straight	Solder end φ15 mm Cu

Lockshield valve angle 601300002



STANDARD VALVES

H-VALVES



H-valves are used for connecting V-type radiators with 50 mm spacing to the central heating system. They come with a pre-setting function and operate as a regulation or shut-off valve. They enable individual shut off or replacement of radiator without draining the system.




Double H-valve, straight
for a V-type radiator
600700003

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Technical details	Additional information
600700003	 Nickel plated	3/4"	3/4"	straight	D=50 mm, Eurocone	Use 1/2 x 3/4 nipple - 603000003 for radiators with 1/2" thread. Pipe connectors for the valve need to be ordered separately, listed on page: p. 104-106
600700005	 Nickel plated	3/4"	3/4"	straight	D=50 mm, with a flat gasket	Use 1/2 x 3/4 nipple - 603000040 for radiators with 1/2" thread. Use eurocone - 603000005 for radiators with 3/4" thread. Pipe connectors for the valve need to be ordered separately, listed on page: p. 104-106



Double H-valve, angle
for a V-type radiator
600700004

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Technical details	Additional information
600700004	 Nickel plated	3/4"	3/4"	angle	D=50 mm, Eurocone	Use 1/2 x 3/4 nipple - 603000003 for radiators with 1/2" thread. Pipe connectors for the valve need to be ordered separately, listed on page: p. 104-106
600700006	 Nickel plated	3/4"	3/4"	angle	D=50 mm, with a flat gasket	Use 1/2 x 3/4 nipple - 603000040 for radiators with 1/2" thread. Use eurocone - 603000005 for radiators with 3/4" thread. Pipe connectors for the valve need to be ordered separately, listed on page: p. 104-106



H-VALVES



Double H-valve, angle
for a V-type radiator
600700023

27

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Technical details	Additional information
600700023	White	3/4"	3/4"	angle	D=50 mm, with a flat gasket	Use 1/2 x 3/4 nipple - 603000040 for radiators with 1/2" thread. Use eurocone - 603000005 for radiators with 3/4" thread. Pipe connectors for the valve need to be ordered separately, listed on page: 104-106



Double H-valve, straight
for a V-type radiator
600700022

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Technical details	Additional information
600700022	White	3/4"	3/4"	straight	D=50 mm, with a flat gasket	Use 1/2 x 3/4 nipple - 603000040 for radiators with 1/2" thread. Use eurocone - 603000005 for radiators with 3/4" thread. Pipe connectors for the valve need to be ordered separately, listed on page: 104-106

STANDARD VALVE SETS

Standard valve sets include thermostatic, lockshield valves and thermostatic heads. Installation of a complete set enables regulation of the water flow in the system in order to keep each room temperature at a certain level.


Simplicity always works. The Standard series includes nickel plated or white valves which are set together with white or white-chrome thermostatic heads. The uniform sets guarantee aesthetic appearance of the radiators and the multitude of design solutions means that they may be used in all types of heating systems.

Standard Thermostatic Sets	30
Standard Mini Thermostatic Sets	31
H-Valve Sets	33




STANDARD VALVE SETS


STANDARD THERMOSTATIC SETS




Thermostatic valve straight




Thermostatic valve angle



Thermostatic valve side-angle right



Thermostatic valve side-angle left



Thermostatic valve axial

Angle thermostatic set **602200001**

Set includes: Thermostatic head, thermostatic valve, lockshield valve.



Product Code		Colour	Pipe connection	Radiator connection	Pattern
602200001		Nickel plated	1/2"	1/2"	angle
602200002		Nickel plated	1/2"	1/2"	straight


Angle thermostatic set **602200010**

Set includes: Thermostatic head, thermostatic valve, lockshield valve.




Product Code		Colour	Pipe connection	Radiator connection	Pattern
602200009		Nickel plated	1/2"	1/2"	angle
602200010		Nickel plated	1/2"	1/2"	straight


STANDARD MINI THERMOSTATIC SETS




Thermostatic
valve mini
straight



Thermostatic
valve mini
angle



Thermostatic
valve mini
side-angle right




Thermostatic
valve mini
side-angle left



Angle thermostatic set
602200056

Available finishes:




Set includes: Thermostatic head
Mini, thermostatic valve, lockshield
valve.

Product Code		Colour	Pipe connection	Radiator connection	Pattern
602200056		White	1/2"	1/2"	angle
602200060		Chrome	1/2"	1/2"	angle



Straight thermostatic set
602200057

Available finishes:




Set includes: Thermostatic head
Mini, thermostatic valve, lockshield
valve.


Product Code		Colour	Pipe connection	Radiator connection	Pattern
602200057		White	1/2"	1/2"	straight
602200061		Chrome	1/2"	1/2"	straight

STANDARD VALVE SETS


STANDARD MINI THERMOSTATIC SETS




Thermostatic valve mini straight



Thermostatic valve mini angle



Thermostatic valve mini side-angle right



Thermostatic valve mini side-angle left

Side-angle right
thermostatic set
602200068

Available finishes:




Set includes: Thermostatic head
Mini, thermostatic valve, lockshield
valve.



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side
602200067	S	White	1/2"	1/2"	side-angle left	↑	↓
602200069	S	Chrome	1/2"	1/2"	side-angle left	↑	↓
602200066	S	White	1/2"	1/2"	side-angle right	↓	↑
602200068	S	Chrome	1/2"	1/2"	side-angle right	↓	↑

Thermostatic head Diamant SH 600100001





H-VALVE SETS



Double H-Valve with Diamant thermostatic head for a V-type radiator, angle
600800017

Set includes: Thermostatic head
Diamant white, angle H-valve,
nipples 1/2x3/4 - 2 pcs.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Nipple 1/2x3/4
600800017	S Nickel plated	3/4"	3/4"	angle	yes
600800018	S Nickel plated	3/4"	3/4"	straight	yes



Double H-Valve with Diamant thermostatic head for a V-type radiator, angle
600800019

Set includes: Thermostatic head
Diamant white, angle H-valve,
nipples 1/2x3/4 - 2 pcs.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Nipple 1/2x3/4
600800019	S White	3/4"	3/4"	angle	yes
600800020	S White	3/4"	3/4"	straight	yes



Double H-Valve with Diamant Invest thermostatic head for a V-type radiator, angle
600800029

Set includes: Thermostatic head
Diamant Invest angle H-valve,
nipples 1/2x3/4 - 2 pcs.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Nipple 1/2x3/4
600800029	S Nickel plated	3/4"	3/4"	angle	yes
600800030	S Nickel plated	3/4"	3/4"	straight	yes

EXCLUSIVE VALVES


Exclusive valves are a reply to the need to effectively connect decorative bathroom valves with the central heating installation. Distinguishing features of those valves are innovative design and a great number of colour finishes available.

Duo-Plex Connection Blocks	36
Exclusive H-Valves	41
T-Connection Blocks	42
T-Connections For Electric Heaters	45



EXCLUSIVE VALVES

DUO-PLEX CONNECTION BLOCKS (THERMOSTATIC HEAD ON THE RETURN PIPE)



Duo-plex connection blocks and Exclusive H-valves are mounted on V-type radiators and a spacing of 50 mm and with 1/2" internal thread or 3/4" external thread.

Duo-plex connection block, angle right
602000003

RAL/SPECIAL

Available finishes:



Duo-plex valve also available with a flat gasket
60200000xxU, Valve suitable for V-type radiator
D=50 mm.




In Duo-plex connection blocks 6020 series
thermostatic head is mounted on the other side
than the supply system pipe is located.

36

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602000002	E	White	M22x1,5	3/4	angle left	↓	↑	
602000004	E	Chrome	M22x1,5	3/4	angle left	↓	↑	
602000006	E	Satin	M22x1,5	3/4	angle left	↓	↑	
602000008	E	Steel	M22x1,5	3/4	angle left	↓	↑	
602000010	E	Antique copper	M22x1,5	3/4	angle left	↓	↑	
602000012	E	Antique brass	M22x1,5	3/4	angle left	↓	↑	
602000001	E	White	M22x1,5	3/4	angle right	↑	↓	
602000003	E	Chrome	M22x1,5	3/4	angle right	↑	↓	
602000005	E	Satin	M22x1,5	3/4	angle right	↑	↓	
602000007	E	Steel	M22x1,5	3/4	angle right	↑	↓	
602000009	E	Antique copper	M22x1,5	3/4	angle right	↑	↓	
602000011	E	Antique brass	M22x1,5	3/4	angle right	↑	↓	
602000021	E	White	M22x1,5	3/4	straight			
602000022	E	Chrome	M22x1,5	3/4	straight			
602000023	E	Satin	M22x1,5	3/4	straight			
602000024	E	Steel	M22x1,5	3/4	straight			
602000025	E	Antique copper	M22x1,5	3/4	straight			
602000026	E	Antique brass	M22x1,5	3/4	straight			

Pipe connectors for the valve
need to be ordered separately,
listed on page:

104-106



DUO-PLEX CONNECTION BLOCKS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)



Duo-plex connection block, angle left
612000004

RAL/SPECIAL

Available finishes:



Duo-plex valve also available with a flat gasket 61200000xxU, Valve suitable for V-type radiator D=50 mm.


In Duo-plex connection blocks 6120 series thermostatic head is mounted on the side the supply system pipe is located.

37

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
612000002	E White	M22x1,5	3/4	angle left	↑	↓	
612000004	E Chrome	M22x1,5	3/4	angle left	↑	↓	
612000006	E Satin	M22x1,5	3/4	angle left	↑	↓	
612000008	E Steel	M22x1,5	3/4	angle left	↑	↓	
612000010	E Antique copper	M22x1,5	3/4	angle left	↑	↓	
612000012	E Antique brass	M22x1,5	3/4	angle left	↑	↓	
612000001	E White	M22x1,5	3/4	angle right	↓	↑	
612000003	E Chrome	M22x1,5	3/4	angle right	↓	↑	
612000005	E Satin	M22x1,5	3/4	angle right	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
612000007	E Steel	M22x1,5	3/4	angle right	↓	↑	
612000009	E Antique copper	M22x1,5	3/4	angle right	↓	↑	
612000011	E Antique brass	M22x1,5	3/4	angle right	↓	↑	
612000021	E White	M22x1,5	3/4	straight			
612000022	E Chrome	M22x1,5	3/4	straight			
612000023	E Satin	M22x1,5	3/4	straight			
612000024	E Steel	M22x1,5	3/4	straight			
612000025	E Antique copper	M22x1,5	3/4	straight			
612000026	E Antique brass	M22x1,5	3/4	straight			

EXCLUSIVE VALVES

DUO-PLEX CONNECTION BLOCK 3/4"X 3/4"



Duo-plex connection block 3/4"x 3/4", angle
602000405

RAL/SPECIAL

Available finishes:



Valve suitable for V-type radiator D=50 mm.



Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602000402	E White	3/4"	3/4"	angle	↑	↓	Pipe connectors for the set need to be ordered separately, listed on page: 104-106
602000405	E Chrome	3/4"	3/4"	angle	↑	↓	
602000408	E Satin	3/4"	3/4"	angle	↑	↓	
602000411	E Steel	3/4"	3/4"	angle	↑	↓	
602000414	E Antique copper	3/4"	3/4"	angle	↑	↓	
602000417	E Antique brass	3/4"	3/4"	angle	↑	↓	

Duo-plex connection block 3/4"x 3/4", angle
602000404

RAL/SPECIAL


Available finishes:



Valve suitable for V-type radiator D=50 mm.



Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602000401	E White	3/4"	3/4"	angle	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602000404	E Chrome	3/4"	3/4"	angle	↓	↑	
602000407	E Satin	3/4"	3/4"	angle	↓	↑	
602000410	E Steel	3/4"	3/4"	angle	↓	↑	
602000413	E Antique copper	3/4"	3/4"	angle	↓	↑	
602000416	E Antique brass	3/4"	3/4"	angle	↓	↑	



DUO-PLEX CONNECTION BLOCK 3/4"X 3/4"



Duo-plex connection block 3/4"x 3/4", straight
602000406

RAL/SPECIAL

Available finishes:




Valve suitable for V-type
radiator D=50 mm.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Additional information
602000403	E	White	3/4"	3/4"	straight	
602000406	E	Chrome	3/4"	3/4"	straight	
602000409	E	Satin	3/4"	3/4"	straight	
602000412	E	Steel	3/4"	3/4"	straight	
602000415	E	Antique copper	3/4"	3/4"	straight	
602000418	E	Antique brass	3/4"	3/4"	straight	


Pipe connectors for the valve need
to be ordered separately, listed on
page: [104-106](#)

DUO-PLEX 3/4 x 3/4

Supply on the left




Supply on the right



EXCLUSIVE VALVES

DUO-PLEX MANUAL CONNECTION BLOCKS 3/4 x M22X1,5



Manual Duo-plex connection block,
angle right
606300111

RAL/SPECIAL


Available finishes:



Valve suitable for
V-type radiator D=50 mm.

40

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
606300103	E	White	M22x1,5	3/4"	angle left	yes	↓	↑	
606300104	E	White	M22x1,5	3/4"	angle left	no	↓	↑	
606300113	E	Chrome	M22x1,5	3/4"	angle left	yes	↓	↑	
606300114	E	Chrome	M22x1,5	3/4"	angle left	no	↓	↑	
606300101	E	White	M22x1,5	3/4"	angle right	yes	↑	↓	
606300102	E	White	M22x1,5	3/4"	angle right	no	↑	↓	
606300111	E	Chrome	M22x1,5	3/4"	angle right	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
606300112	E	Chrome	M22x1,5	3/4"	angle right	no	↑	↓	
606300105	E	White	M22x1,5	3/4"	straight	yes			
606300106	E	White	M22x1,5	3/4"	straight	no			
606300115	E	Chrome	M22x1,5	3/4"	straight	yes			
606300116	E	Chrome	M22x1,5	3/4"	straight	no			



EXCLUSIVE H-VALVES



Double H-valve for a V-type radiator, angle
601000002

RAL/SPECIAL

Available finishes:




H-valves available also with
a flat gasket 60100000xxU

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Additional information
601000001	E	White	M22x1,5	3/4"	angle	
601000002	E	Chrome	M22x1,5	3/4"	angle	
601000005	E	Satin	M22x1,5	3/4"	angle	
601000007	E	Steel	M22x1,5	3/4"	angle	
601000009	E	Antique copper	M22x1,5	3/4"	angle	
601000011	E	Antique brass	M22x1,5	3/4"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601000003	E	Chrome	M22x1,5	3/4"	straight	
601000004	E	White	M22x1,5	3/4"	straight	
601000006	E	Satin	M22x1,5	3/4"	straight	
601000008	E	Steel	M22x1,5	3/4"	straight	
601000010	E	Antique copper	M22x1,5	3/4"	straight	
601000012	E	Antique brass	M22x1,5	3/4"	straight	

EXCLUSIVE VALVES

T-CONNECTION BLOCKS TYPE 40



Thermostatic T-connection blocks with immersion pipe are mounted on radiators with single bottom connection and on bathroom radiators with double vertical collectors that enable the connection of the radiator to one collector and an electric heater to the other. T-connections are suitable for radiators with internal 1/2" threads.

T-connection block, angle left
602000043


RAL/SPECIAL

Available finishes:



D=40 mm, set with a 30 cm collector pipe.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602000042	E White	M22x1,5	1/2"	angle left	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602000044	E Chrome	M22x1,5	1/2"	angle left	↓	↑	
602000046	E Satin	M22x1,5	1/2"	angle left	↓	↑	
602000048	E Steel	M22x1,5	1/2"	angle left	↓	↑	
602000050	E Antique copper	M22x1,5	1/2"	angle left	↓	↑	
602000052	E Antique brass	M22x1,5	1/2"	angle left	↓	↑	
602000041	E White	M22x1,5	1/2"	angle right	↑	↓	
602000043	E Chrome	M22x1,5	1/2"	angle right	↑	↓	
602000045	E Satin	M22x1,5	1/2"	angle right	↑	↓	
602000047	E Steel	M22x1,5	1/2"	angle right	↑	↓	
602000049	E Antique copper	M22x1,5	1/2"	angle right	↑	↓	
602000051	E Antique brass	M22x1,5	1/2"	angle right	↑	↓	
602000061	E White	M22x1,5	1/2"	straight			
602000062	E Chrome	M22x1,5	1/2"	straight			
602000063	E Satin	M22x1,5	1/2"	straight			
602000064	E Steel	M22x1,5	1/2"	straight			
602000065	E Antique copper	M22x1,5	1/2"	straight			
602000066	E Antique brass	M22x1,5	1/2"	straight			



T-connection
block angle
left

T-connection
block angle
right

T-connection
block straight

T-CONNECTION BLOCKS TYPE 50



T-connection block, angle right

602400003

RAL/SPECIAL

Available finishes:




D=50 mm, set with a 30 cm collector pipe.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602400002	E White	M22x1,5	1/2"	angle left	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602400004	E Chrome	M22x1,5	1/2"	angle left	↓	↑	
602400006	E Satin	M22x1,5	1/2"	angle left	↓	↑	
602400008	E Steel	M22x1,5	1/2"	angle left	↓	↑	
602400010	E Antique copper	M22x1,5	1/2"	angle left	↓	↑	
602400012	E Antique brass	M22x1,5	1/2"	angle left	↓	↑	
602400001	E White	M22x1,5	1/2"	angle right	↑	↓	
602400003	E Chrome	M22x1,5	1/2"	angle right	↑	↓	
602400005	E Satin	M22x1,5	1/2"	angle right	↑	↓	
602400007	E Steel	M22x1,5	1/2"	angle right	↑	↓	
602400009	E Antique copper	M22x1,5	1/2"	angle right	↑	↓	
602400011	E Antique brass	M22x1,5	1/2"	angle right	↑	↓	

EXCLUSIVE VALVES

MANUAL T-CONNECTION BLOCKS



Manual T-connection blocks with immersion pipe are mounted on radiators with single bottom connection and on bathroom radiators with double vertical collectors that enable the connection of the radiator to one collector and an electric heater to the other. T-connections are suitable for radiators with internal 1/2" threads.

Manual T-connection block,
angle right
606300204

RAL/SPECIAL

Available finishes:




D=40 mm, set with a 30 cm collector pipe.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
606300202	E	White	M22x1,5	1/2"	angle left	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
606300205	E	Chrome	M22x1,5	1/2"	angle left	↓	↑	
606300201	E	White	M22x1,5	1/2"	angle right	↑	↓	
606300204	E	Chrome	M22x1,5	1/2"	angle right	↑	↓	
606300203	E	White	M22x1,5	1/2"	straight			
606300206	E	Chrome	M22x1,5	1/2"	straight			

Thermostatic set Elegenat Mini, side-angle left, RAL 9005






Thermostatic
T-connection for
electric heater right


Thermostatic
T-connection for
electric heater left

Manual
T-connection
for electric
heater right

Manual
T-connection
for electric
heater left



Lockshield
T-connection
for electric
heater right



Lockshield
T-connection
for electric
heater left

T-CONNECTIONS FOR ELECTRIC HEATERS

T-connections for electric heaters are valves mounted on bathroom radiators installed in systems with vertical collectors, enabling installation of an electric heater allowing the radiator to be used outside the heating season, e.g. for drying towels. The T-connections for electric heaters are suitable for mounting along with a thermostatic valves, lockshield valves or manual valves.



Thermostatic T-connection for electric
heater, right

604900008

RAL/SPECIAL

Available finishes:




Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
604900001	E	White	M22x1,5	1/2"	right	Cu		↑	
604900002	E	White	M22x1,5	1/2"	right	Pex		↑	
604900003	E	White	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900007	E	Chrome	M22x1,5	1/2"	right	Cu		↑	
604900008	E	Chrome	M22x1,5	1/2"	right	Pex		↑	
604900009	E	Chrome	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900013	E	Satin	M22x1,5	1/2"	right	Cu		↑	
604900014	E	Satin	M22x1,5	1/2"	right	Pex		↑	
604900015	E	Satin	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900019	E	Steel	M22x1,5	1/2"	right	Cu		↑	
604900020	E	Steel	M22x1,5	1/2"	right	Pex		↑	
604900021	E	Steel	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900025	E	Antique copper	M22x1,5	1/2"	right	Cu		↑	
604900026	E	Antique copper	M22x1,5	1/2"	right	Pex		↑	
604900027	E	Antique copper	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900031	E	Antique brass	M22x1,5	1/2"	right	Cu		↑	
604900032	E	Antique brass	M22x1,5	1/2"	right	Pex		↑	
604900033	E	Antique brass	M22x1,5	1/2"	right	Steel 1/2"		↑	

Valve 1/2" cap
needs to be ordered
separately. Listed on
page:

EXCLUSIVE VALVES

T-CONNECTIONS FOR ELECTRIC HEATERS




Thermostatic T-connection
for electric heater, left
604900011

RAL/SPECIAL

Available finishes:



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
604900004	E	White	M22x1,5	1/2"	left	Cu	↑		
604900005	E	White	M22x1,5	1/2"	left	Pex	↑		
604900006	E	White	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900010	E	Chrome	M22x1,5	1/2"	left	Cu	↑		
604900011	E	Chrome	M22x1,5	1/2"	left	Pex	↑		
604900012	E	Chrome	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900016	E	Satin	M22x1,5	1/2"	left	Cu	↑		
604900017	E	Satin	M22x1,5	1/2"	left	Pex	↑		
604900018	E	Satin	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900022	E	Steel	M22x1,5	1/2"	left	Cu	↑		Valve 1/2" cap needs to be ordered separately. Listed on page: 51
604900023	E	Steel	M22x1,5	1/2"	left	Pex	↑		
604900024	E	Steel	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900028	E	Antique copper	M22x1,5	1/2"	left	Cu	↑		
604900029	E	Antique copper	M22x1,5	1/2"	left	Pex	↑		
604900030	E	Antique copper	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900034	E	Antique brass	M22x1,5	1/2"	left	Cu	↑		
604900035	E	Antique brass	M22x1,5	1/2"	left	Pex	↑		
604900036	E	Antique brass	M22x1,5	1/2"	left	Steel 1/2"	↑		




Thermostatic
T-connection for
electric heater right


Thermostatic
T-connection for
electric heater left

Manual
T-connection
for electric
heater right

Manual
T-connection
for electric
heater left



Lockshield
T-connection
for electric
heater right



Lockshield
T-connection
for electric
heater left

T-CONNECTIONS FOR ELECTRIC HEATERS



Manual T-connection
for electric heater, right

604900058

RAL/SPECIAL

Available finishes:




Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
604900051	E	White	M22x1,5	1/2"	right	Cu		↑	
604900052	E	White	M22x1,5	1/2"	right	Pex		↑	
604900053	E	White	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900057	E	Chrome	M22x1,5	1/2"	right	Cu		↑	
604900058	E	Chrome	M22x1,5	1/2"	right	Pex		↑	
604900059	E	Chrome	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900063	E	Satin	M22x1,5	1/2"	right	Cu		↑	
604900064	E	Satin	M22x1,5	1/2"	right	Pex		↑	
604900065	E	Satin	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900069	E	Steel	M22x1,5	1/2"	right	Cu		↑	
604900070	E	Steel	M22x1,5	1/2"	right	Pex		↑	
604900071	E	Steel	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900075	E	Antique copper	M22x1,5	1/2"	right	Cu		↑	
604900076	E	Antique copper	M22x1,5	1/2"	right	Pex		↑	
604900077	E	Antique copper	M22x1,5	1/2"	right	Steel 1/2"		↑	
604900081	E	Antique brass	M22x1,5	1/2"	right	Cu		↑	
604900082	E	Antique brass	M22x1,5	1/2"	right	Pex		↑	
604900083	E	Antique brass	M22x1,5	1/2"	right	Steel 1/2"		↑	

Valve 1/2"
cap needs to
be ordered
separately. Listed
on page:

EXCLUSIVE VALVES

T-CONNECTIONS FOR ELECTRIC HEATERS



Manual T-connection
for electric heater, left
604900061

RAL/SPECIAL


Available finishes:



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
604900054	E	White	M22x1,5	1/2"	left	Cu	↑		
604900055	E	White	M22x1,5	1/2"	left	Pex	↑		
604900056	E	White	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900060	E	Chrome	M22x1,5	1/2"	left	Cu	↑		
604900061	E	Chrome	M22x1,5	1/2"	left	Pex	↑		
604900062	E	Chrome	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900066	E	Satin	M22x1,5	1/2"	left	Cu	↑		
604900067	E	Satin	M22x1,5	1/2"	left	Pex	↑		
604900068	E	Satin	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900072	E	Steel	M22x1,5	1/2"	left	Cu	↑		
604900073	E	Steel	M22x1,5	1/2"	left	Pex	↑		
604900074	E	Steel	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900078	E	Antique copper	M22x1,5	1/2"	left	Cu	↑		
604900079	E	Antique copper	M22x1,5	1/2"	left	Pex	↑		
604900080	E	Antique copper	M22x1,5	1/2"	left	Steel 1/2"	↑		
604900084	E	Antique brass	M22x1,5	1/2"	left	Cu	↑		
604900085	E	Antique brass	M22x1,5	1/2"	left	Pex	↑		
604900086	E	Antique brass	M22x1,5	1/2"	left	Steel 1/2"	↑		

Valve 1/2" cap
needs to be ordered
separately. Listed on
page:

51




Thermostatic
T-connection for
electric heater right


Thermostatic
T-connection for
electric heater left

Manual
T-connection
for electric
heater right

Manual
T-connection
for electric
heater left



Lockshield
T-connection
for electric
heater right



Lockshield
T-connection
for electric
heater left

T-CONNECTIONS FOR ELECTRIC HEATERS



Lockshield T-connection for electric
heater, right
605000008

RAL/SPECIAL

Available finishes:




Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
605000001	E	White	M22x1,5	1/2"	right	Cu		↓	
605000002	E	White	M22x1,5	1/2"	right	Pex		↓	
605000003	E	White	M22x1,5	1/2"	right	Steel 1/2"		↓	
605000007	E	Chrome	M22x1,5	1/2"	right	Cu		↓	
605000008	E	Chrome	M22x1,5	1/2"	right	Pex		↓	
605000009	E	Chrome	M22x1,5	1/2"	right	Steel 1/2"		↓	
605000013	E	Satin	M22x1,5	1/2"	right	Cu		↓	
605000014	E	Satin	M22x1,5	1/2"	right	Pex		↓	
605000015	E	Satin	M22x1,5	1/2"	right	Steel 1/2"		↓	
605000019	E	Steel	M22x1,5	1/2"	right	Cu		↓	
605000020	E	Steel	M22x1,5	1/2"	right	Pex		↓	
605000021	E	Steel	M22x1,5	1/2"	right	Steel 1/2"		↓	
605000025	E	Antique copper	M22x1,5	1/2"	right	Cu		↓	
605000026	E	Antique copper	M22x1,5	1/2"	right	Pex		↓	
605000027	E	Antique copper	M22x1,5	1/2"	right	Steel 1/2"		↓	
605000031	E	Antique brass	M22x1,5	1/2"	right	Cu		↓	
605000032	E	Antique brass	M22x1,5	1/2"	right	Pex		↓	
605000033	E	Antique brass	M22x1,5	1/2"	right	Steel 1/2"		↓	

Valve 1/2" cap
needs to be ordered
separately. Listed on
page:

EXCLUSIVE VALVES

T-CONNECTIONS FOR ELECTRIC HEATERS



Lockshield T-connection
for electric heater, left
605000011

RAL/SPECIAL

Available finishes:



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Left side	Right side	Additional information
605000004	E	White	M22x1,5	1/2"	left	Cu	↓		
605000005	E	White	M22x1,5	1/2"	left	Pex	↓		
605000006	E	White	M22x1,5	1/2"	left	Steel 1/2"	↓		
605000010	E	Chrome	M22x1,5	1/2"	left	Cu	↓		
605000011	E	Chrome	M22x1,5	1/2"	left	Pex	↓		
605000012	E	Chrome	M22x1,5	1/2"	left	Steel 1/2"	↓		
605000016	E	Satin	M22x1,5	1/2"	left	Cu	↓		
605000017	E	Satin	M22x1,5	1/2"	left	Pex	↓		
605000018	E	Satin	M22x1,5	1/2"	left	Steel 1/2"	↓		
605000022	E	Steel	M22x1,5	1/2"	left	Cu	↓		
605000023	E	Steel	M22x1,5	1/2"	left	Pex	↓		
605000024	E	Steel	M22x1,5	1/2"	left	Steel 1/2"	↓		
605000028	E	Antique copper	M22x1,5	1/2"	left	Cu	↓		
605000029	E	Antique copper	M22x1,5	1/2"	left	Pex	↓		
605000030	E	Antique copper	M22x1,5	1/2"	left	Steel 1/2"	↓		
605000034	E	Antique brass	M22x1,5	1/2"	left	Cu	↓		
605000035	E	Antique brass	M22x1,5	1/2"	left	Pex	↓		
605000036	E	Antique brass	M22x1,5	1/2"	left	Steel 1/2"	↓		

Valve 1/2" cap
needs to be
ordered separately.
Listed on page:

51

T-CONNECTIONS FOR ELECTRIC HEATERS



Product Code		Colour	Connection thread
205.01	E	Chrome	1/2
205.02	E	Satin	1/2
205.03	E	Steel	1/2
205.06	E	White	1/2
205.10	E	Antique brass	1/2
205.11	E	Antique copper	1/2

Cap for T-connections
for electric heater


205.01

RAL/SPECIAL

Available finishes:



Manual set Elegant Style



EXCLUSIVE VALVE SETS

Variety of products in the range of exclusive valve sets gives a possibility to match heating installation elements with a particular room character and décor.

Our exclusive series are inspired by modern trends. They contain highly modern products with classic shapes or resembling the old England interior style.

Products are available in all RAL palette colours, in various finishes. They include thermostatic valves, lockshield valves, thermostatic heads and suitable connectors. Their application allows regulating flows in the system and maintaining the pre-set temperature in every room.

Exclusive valve sets are available in following series: EXCLUSIVE, LUX, DUO-PLEX CONNECTIONS, T-CONNECTION BLOCKS, ELEGANT, ELEGANT MINI, ELEGANT STYLE , PRESTIGE, SQUARE.

Exclusive Sets	54
Lux Sets	57
Duo-Plex Connection Block Sets	62
Duo-Plex Mini Connection Block Sets	69
T-Connection Block Sets	70
Exclusive H-Valve Sets	72
Elegant Sets	73
Elegant Mini Sets	77
Elegant Style Sets	79
Elegant Prestige Sets	81
Square Sets	83



EXCLUSIVE VALVE SETS

EXCLUSIVE SETS


Angle set
601700104

RAL/SPECIAL


Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.



Exclusive set
side-angle right




Exclusive set
side-angle left



Exclusive set
angle

Product Code		Colour	Radiator connection	Pattern	Integrated connector
601700101	E	White	1/2"	angle	Cu
601700104	E	Chrome	1/2"	angle	Cu
601700107	E	Satin	1/2"	angle	Cu
601700110	E	Steel	1/2"	angle	Cu
601700113	E	White	1/2"	angle	Pex
601700116	E	Chrome	1/2"	angle	Pex
601700119	E	Satin	1/2"	angle	Pex
601700122	E	Steel	1/2"	angle	Pex
601700125*	E	Gold matt	1/2"	angle	Cu
601700128	E	Gold	1/2"	angle	Cu
601700131	E	Antique copper	1/2"	angle	Cu
601700134	E	Antique brass	1/2"	angle	Cu
601700137*	E	Gold matt	1/2"	angle	Pex
601700140	E	Gold	1/2"	angle	Pex
601700143	E	Antique copper	1/2"	angle	Pex
601700146	E	Antique brass	1/2"	angle	Pex
601700149	E	White	1/2"	angle	Steel 1/2"
601700152	E	Chrome	1/2"	angle	Steel 1/2"
601700155	E	Satin	1/2"	angle	Steel 1/2"
601700158	E	Steel	1/2"	angle	Steel 1/2"
601700161*	E	Gold matt	1/2"	angle	Steel 1/2"
601700164	E	Gold	1/2"	angle	Steel 1/2"
601700167	E	Antique copper	1/2"	angle	Steel 1/2"
601700170	E	Antique brass	1/2"	angle	Steel 1/2"

* Set with a MINI thermostatic head



EXCLUSIVE SETS



Side-angle left set
601700106

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.

Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
601700103	E	White	1/2"	side-angle left	Cu	↑	↓
601700106	E	Chrome	1/2"	side-angle left	Cu	↑	↓
601700109	E	Satin	1/2"	side-angle left	Cu	↑	↓
601700112	E	Steel	1/2"	side-angle left	Cu	↑	↓
601700115	E	White	1/2"	side-angle left	Pex	↑	↓
601700118	E	Chrome	1/2"	side-angle left	Pex	↑	↓
601700121	E	Satin	1/2"	side-angle left	Pex	↑	↓
601700124	E	Steel	1/2"	side-angle left	Pex	↑	↓
601700127*	E	Gold matt	1/2"	side-angle left	Cu	↑	↓
601700130	E	Gold	1/2"	side-angle left	Cu	↑	↓
601700133	E	Antique copper	1/2"	side-angle left	Cu	↑	↓
601700136	E	Antique brass	1/2"	side-angle left	Cu	↑	↓
601700139*	E	Gold matt	1/2"	side-angle left	Pex	↑	↓
601700142	E	Gold	1/2"	side-angle left	Pex	↑	↓
601700145	E	Antique copper	1/2"	side-angle left	Pex	↑	↓
601700148	E	Antique brass	1/2"	side-angle left	Pex	↑	↓
601700151	E	White	1/2"	side-angle left	Steel 1/2"	↑	↓
601700154	E	Chrome	1/2"	side-angle left	Steel 1/2"	↑	↓
601700157	E	Satin	1/2"	side-angle left	Steel 1/2"	↑	↓
601700160	E	Steel	1/2"	side-angle left	Steel 1/2"	↑	↓
601700163*	E	Gold matt	1/2"	side-angle left	Steel 1/2"	↑	↓
601700166	E	Gold	1/2"	side-angle left	Steel 1/2"	↑	↓
601700169	E	Antique copper	1/2"	side-angle left	Steel 1/2"	↑	↓
601700172	E	Antique brass	1/2"	side-angle left	Steel 1/2"	↑	↓

* Set with a MINI thermostatic head

EXCLUSIVE VALVE SETS

EXCLUSIVE SETS



Side-angle right set

601700105

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.



Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
601700102	E	White	1/2"	side-angle right	Cu	↓	↑
601700105	E	Chrome	1/2"	side-angle right	Cu	↓	↑
601700108	E	Satin	1/2"	side-angle right	Cu	↓	↑
601700111	E	Steel	1/2"	side-angle right	Cu	↓	↑
601700114	E	White	1/2"	side-angle right	Pex	↓	↑
601700117	E	Chrome	1/2"	side-angle right	Pex	↓	↑
601700120	E	Satin	1/2"	side-angle right	Pex	↓	↑
601700123	E	Steel	1/2"	side-angle right	Pex	↓	↑
601700126*	E	Gold matt	1/2"	side-angle right	Cu	↓	↑
601700129	E	Gold	1/2"	side-angle right	Cu	↓	↑
601700132	E	Antique copper	1/2"	side-angle right	Cu	↓	↑
601700135	E	Antique brass	1/2"	side-angle right	Cu	↓	↑
601700138*	E	Gold matt	1/2"	side-angle right	Pex	↓	↑
601700141	E	Gold	1/2"	side-angle right	Pex	↓	↑
601700144	E	Antique copper	1/2"	side-angle right	Pex	↓	↑
601700147	E	Antique brass	1/2"	side-angle right	Pex	↓	↑
601700150	E	White	1/2"	side-angle right	Steel 1/2"	↓	↑
601700153	E	Chrome	1/2"	side-angle right	Steel 1/2"	↓	↑
601700156	E	Satin	1/2"	side-angle right	Steel 1/2"	↓	↑
601700159	E	Steel	1/2"	side-angle right	Steel 1/2"	↓	↑
601700162*	E	Gold matt	1/2"	side-angle right	Steel 1/2"	↓	↑
601700165	E	Gold	1/2"	side-angle right	Steel 1/2"	↓	↑
601700168	E	Antique copper	1/2"	side-angle right	Steel 1/2"	↓	↑
601700171	E	Antique brass	1/2"	side-angle right	Steel 1/2"	↓	↑

* Set with a MINI thermostatic head



LUX SETS



Angle set
603700004

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.

Product Code		Colour	Radiator connection	Pattern	Integrated connector
603700001	E	White	1/2"	angle	Cu
603700004	E	Chrome	1/2"	angle	Cu
603700007	E	Satin	1/2"	angle	Cu
603700010	E	Steel	1/2"	angle	Cu
603700019	E	Antique copper	1/2"	angle	Cu
603700022	E	Antique brass	1/2"	angle	Cu
603700031	E	White	1/2"	angle	Pex
603700034	E	Chrome	1/2"	angle	Pex
603700037	E	Satin	1/2"	angle	Pex
603700040	E	Steel	1/2"	angle	Pex
603700049	E	Antique copper	1/2"	angle	Pex
603700052	E	Antique brass	1/2"	angle	Pex
603700061	E	White	1/2"	angle	Steel 1/2"
603700064	E	Chrome	1/2"	angle	Steel 1/2"
603700067	E	Satin	1/2"	angle	Steel 1/2"
603700070	E	Steel	1/2"	angle	Steel 1/2"
603700079	E	Antique copper	1/2"	angle	Steel 1/2"
603700082	E	Antique brass	1/2"	angle	Steel 1/2"

EXCLUSIVE VALVE SETS

LUX SETS



Side-angle left set
603700006

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.



58

Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
603700003	E	White	1/2"	side-angle left	Cu	↑	↓
603700006	E	Chrome	1/2"	side-angle left	Cu	↑	↓
603700009	E	Satin	1/2"	side-angle left	Cu	↑	↓
603700012	E	Steel	1/2"	side-angle left	Cu	↑	↓
603700021	E	Antique copper	1/2"	side-angle left	Cu	↑	↓
603700024	E	Antique brass	1/2"	side-angle left	Cu	↑	↓
603700033	E	White	1/2"	side-angle left	Pex	↑	↓
603700036	E	Chrome	1/2"	side-angle left	Pex	↑	↓
603700039	E	Satin	1/2"	side-angle left	Pex	↑	↓
603700042	E	Steel	1/2"	side-angle left	Pex	↑	↓
603700051	E	Antique copper	1/2"	side-angle left	Pex	↑	↓
603700054	E	Antique brass	1/2"	side-angle left	Pex	↑	↓
603700063	E	White	1/2"	side-angle left	Steel 1/2"	↑	↓
603700066	E	Chrome	1/2"	side-angle left	Steel 1/2"	↑	↓
603700069	E	Satin	1/2"	side-angle left	Steel 1/2"	↑	↓
603700072	E	Steel	1/2"	side-angle left	Steel 1/2"	↑	↓
603700081	E	Antique copper	1/2"	side-angle left	Steel 1/2"	↑	↓
603700084	E	Antique brass	1/2"	side-angle left	Steel 1/2"	↑	↓



LUX SETS



Side-angle right set
603700005

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head, thermostatic valve, lockshield valve.

Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
603700002	E	White	1/2"	side-angle right	Cu	↓	↑
603700005	E	Chrome	1/2"	side-angle right	Cu	↓	↑
603700008	E	Satin	1/2"	side-angle right	Cu	↓	↑
603700011	E	Steel	1/2"	side-angle right	Cu	↓	↑
603700020	E	Antique copper	1/2"	side-angle right	Cu	↓	↑
603700023	E	Antique brass	1/2"	side-angle right	Cu	↓	↑
603700032	E	White	1/2"	side-angle right	Pex	↓	↑
603700035	E	Chrome	1/2"	side-angle right	Pex	↓	↑
603700038	E	Satin	1/2"	side-angle right	Pex	↓	↑
603700041	E	Steel	1/2"	side-angle right	Pex	↓	↑
603700050	E	Antique copper	1/2"	side-angle right	Pex	↓	↑
603700053	E	Antique brass	1/2"	side-angle right	Pex	↓	↑
603700062	E	White	1/2"	side-angle right	Steel 1/2"	↓	↑
603700065	E	Chrome	1/2"	side-angle right	Steel 1/2"	↓	↑
603700068	E	Satin	1/2"	side-angle right	Steel 1/2"	↓	↑
603700071	E	Steel	1/2"	side-angle right	Steel 1/2"	↓	↑
603700080	E	Antique copper	1/2"	side-angle right	Steel 1/2"	↓	↑
603700083	E	Antique brass	1/2"	side-angle right	Steel 1/2"	↓	↑

EXCLUSIVE VALVE SETS

LUX MANUAL SETS



Lux manual set side-angle right

Lux manual set side-angle left

Lux manual set angle

Manual angle set
606300011

RAL/SPECIAL

Available finishes:



Set includes: Manual valve, lockshield valve.



Product Code		Colour	Radiator connection	Pattern	Integrated connector
606300001	E	White	1/2"	angle	Cu
606300002	E	White	1/2"	angle	Pex
606300003	E	White	1/2"	angle	Steel 1/2"
606300011	E	Chrome	1/2"	angle	Cu
606300012	E	Chrome	1/2"	angle	Pex
606300013	E	Chrome	1/2"	angle	Steel 1/2"

60

Manual side-angle left set
606300017

RAL/SPECIAL


Available finishes:



Set includes: Manual valve, lockshield valve.



Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
606300007	E	White	1/2"	side-angle left	Cu	↑	↓
606300008	E	White	1/2"	side-angle left	Pex	↑	↓
606300009	E	White	1/2"	side-angle left	Steel 1/2"	↑	↓
606300017	E	Chrome	1/2"	side-angle left	Cu	↑	↓
606300018	E	Chrome	1/2"	side-angle left	Pex	↑	↓
606300019	E	Chrome	1/2"	side-angle left	Steel 1/2"	↑	↓



Lux manual
set side-angle
right

Lux manual
set side-angle
left

Lux manual
set angle

LUX MANUAL SETS



Manual side-angle right set
606300014

RAL/SPECIAL

Available finishes:



Set includes: Manual valve, lockshield valve


Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
606300004	E	White	1/2"	side-angle right	Cu	↓	↑
606300005	E	White	1/2"	side-angle right	Pex	↓	↑
606300006	E	White	1/2"	side-angle right	Steel 1/2"	↓	↑
606300014	E	Chrome	1/2"	side-angle right	Cu	↓	↑
606300015	E	Chrome	1/2"	side-angle right	Pex	↓	↑
606300016	E	Chrome	1/2"	side-angle right	Steel 1/2"	↓	↑

Duo-plex connection block



EXCLUSIVE VALVE SETS

DUO-PLEX CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE RETURN PIPE)



Duo-plex connection block set,
angle left

602100007

RAL/SPECIAL

Available finishes:



Two type of sets. Set includes:

A) DUO-PLEX valve, 2 pcs.

Nipples 1/2x3/4, Thermostatic head.


B) DUO-PLEX valve, Thermostatic head

Spacing D=50 mm



62

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
602100003	E	White	M22x1,5	3/4"	angle left	yes	↓	↑	
602100004	E	White	M22x1,5	3/4"	angle left	no	↓	↑	
602100007	E	Chrome	M22x1,5	3/4"	angle left	yes	↓	↑	
602100008	E	Chrome	M22x1,5	3/4"	angle left	no	↓	↑	
602100011	E	Satin	M22x1,5	3/4"	angle left	yes	↓	↑	
602100012	E	Satin	M22x1,5	3/4"	angle left	no	↓	↑	
602100015	E	Steel	M22x1,5	3/4"	angle left	yes	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100016	E	Steel	M22x1,5	3/4"	angle left	no	↓	↑	
602100019	E	Antique copper	M22x1,5	3/4"	angle left	yes	↓	↑	
602100020	E	Antique copper	M22x1,5	3/4"	angle left	no	↓	↑	
602100023	E	Antique brass	M22x1,5	3/4"	angle left	yes	↓	↑	
602100024	E	Antique brass	M22x1,5	3/4"	angle left	no	↓	↑	



DUO-PLEX CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE RETURN PIPE)



Duo-plex connection block set,
angle right
602100005

RAL/SPECIAL

Available finishes:




Two type of sets. Set includes:
A) DUO-PLEX valve, 2 pcs.
Nipples 1/2x3/4, Thermostatic head.
B) DUO-PLEX valve, Thermostatic head

Spacing D=50 mm

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
602100001	E	White	M22x1,5	3/4"	angle right	yes	↑	↓	
602100002	E	White	M22x1,5	3/4"	angle right	no	↑	↓	
602100005	E	Chrome	M22x1,5	3/4"	angle right	yes	↑	↓	
602100006	E	Chrome	M22x1,5	3/4"	angle right	no	↑	↓	
602100009	E	Satin	M22x1,5	3/4"	angle right	yes	↑	↓	
602100010	E	Satin	M22x1,5	3/4"	angle right	no	↑	↓	
602100013	E	Steel	M22x1,5	3/4"	angle right	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100014	E	Steel	M22x1,5	3/4"	angle right	no	↑	↓	
602100017	E	Antique copper	M22x1,5	3/4"	angle right	yes	↑	↓	
602100018	E	Antique copper	M22x1,5	3/4"	angle right	no	↑	↓	
602100021	E	Antique brass	M22x1,5	3/4"	angle right	yes	↑	↓	
602100022	E	Antique brass	M22x1,5	3/4"	angle right	no	↑	↓	

EXCLUSIVE VALVE SETS

DUO-PLEX CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE RETURN PIPE)



Duo-plex connection block set,
straight

602100034

RAL/SPECIAL

Available finishes:




Two type of sets. Set includes:
A) DUO-PLEX valve, 2 pcs.
Nipples 1/2x3/4, Thermostatic head.
B) DUO-PLEX valve, Thermostatic head

Spacing D=50 mm



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Additional information
602100031	E	White	M22x1,5	3/4"	straight	yes	
602100032	E	White	M22x1,5	3/4"	straight	no	
602100033	E	Chrome	M22x1,5	3/4"	straight	yes	
602100034	E	Chrome	M22x1,5	3/4"	straight	no	
602100035	E	Satin	M22x1,5	3/4"	straight	yes	
602100036	E	Satin	M22x1,5	3/4"	straight	no	
602100037	E	Steel	M22x1,5	3/4"	straight	yes	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100038	E	Steel	M22x1,5	3/4"	straight	no	
602100039	E	Antique copper	M22x1,5	3/4"	straight	yes	
602100040	E	Antique copper	M22x1,5	3/4"	straight	no	
602100041	E	Antique brass	M22x1,5	3/4"	straight	yes	
602100042	E	Antique brass	M22x1,5	3/4"	straight	no	



Duo-plex set
angle left

Duo-plex set
angle right

Duo-plex set
straight

DUO-PLEX CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)



Duo-plex connection block set,
angle left
612100007

RAL/SPECIAL

Available finishes:




Two type of sets. Set includes:
A) DUO-PLEX valve, 2 pcs.
Nipples 1/2x3/4, Thermostatic head.
B) DUO-PLEX valve, Thermostatic head

Spacing D=50 mm

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
612100003	E White	M22x1,5	3/4"	angle left	yes	↑	↓	
612100004	E White	M22x1,5	3/4"	angle left	no	↑	↓	
612100007	E Chrome	M22x1,5	3/4"	angle left	yes	↑	↓	
612100008	E Chrome	M22x1,5	3/4"	angle left	no	↑	↓	
612100011	E Satin	M22x1,5	3/4"	angle left	yes	↑	↓	
612100012	E Satin	M22x1,5	3/4"	angle left	no	↑	↓	
612100015	E Steel	M22x1,5	3/4"	angle left	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
612100016	E Steel	M22x1,5	3/4"	angle left	no	↑	↓	
612100019	E Antique copper	M22x1,5	3/4"	angle left	yes	↑	↓	
612100020	E Antique copper	M22x1,5	3/4"	angle left	no	↑	↓	
612100023	E Antique brass	M22x1,5	3/4"	angle left	yes	↑	↓	
612100024	E Antique brass	M22x1,5	3/4"	angle left	no	↑	↓	

EXCLUSIVE VALVE SETS

DUO-PLEX CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)



Duo-plex connection block set,
angle right
612100005

RAL/SPECIAL

Available finishes:



Two type of sets. Set includes:
A) DUO-PLEX valve, 2 pcs.
Nipples 1/2x3/4, Thermostatic head.
B) DUO-PLEX valve, Thermostatic head


Spacing D=50 mm



Product Code	Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
612100001	E White	M22x1,5	3/4"	angle right	yes	↓	↑	
612100002	E White	M22x1,5	3/4"	angle right	no	↓	↑	
612100005	E Chrome	M22x1,5	3/4"	angle right	yes	↓	↑	
612100006	E Chrome	M22x1,5	3/4"	angle right	no	↓	↑	
612100009	E Satin	M22x1,5	3/4"	angle right	yes	↓	↑	
612100010	E Satin	M22x1,5	3/4"	angle right	no	↓	↑	
612100013	E Steel	M22x1,5	3/4"	angle right	yes	↓	↑	
612100014	E Steel	M22x1,5	3/4"	angle right	no	↓	↑	
612100017	E Antique copper	M22x1,5	3/4"	angle right	yes	↓	↑	
612100018	E Antique copper	M22x1,5	3/4"	angle right	no	↓	↑	
612100021	E Antique brass	M22x1,5	3/4"	angle right	yes	↓	↑	
612100022	E Antique brass	M22x1,5	3/4"	angle right	no	↓	↑	

Pipe connectors for the valve need to be ordered separately, listed on page:

104-106



Duo-plex set
angle left

Duo-plex set
angle right

Duo-plex set
straight

DUO-PLEX CONNECTION BLOCK SETS 3/4 x 3/4



Duo-plex connection block set, angle
602100405

RAL/SPECIAL

Available finishes:



Set includes: DUO-PLEX valve,
Thermostatic head.
Spacing D=50 mm

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602100402	E	White	3/4"	3/4"	angle	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100405	E	Chrome	3/4"	3/4"	angle	↑	↓	
602100408	E	Satin	3/4"	3/4"	angle	↑	↓	
602100411	E	Steel	3/4"	3/4"	angle	↑	↓	
602100414	E	Antique copper	3/4"	3/4"	angle	↑	↓	
602100417	E	Antique brass	3/4"	3/4"	angle	↑	↓	



Duo-plex connection block set, angle
602100404

RAL/SPECIAL

Available finishes:



Set includes: DUO-PLEX valve,
Thermostatic head.
Spacing D=50 mm

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602100401	E	White	3/4"	3/4"	angle	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100404	E	Chrome	3/4"	3/4"	angle	↓	↑	
602100407	E	Satin	3/4"	3/4"	angle	↓	↑	
602100410	E	Steel	3/4"	3/4"	angle	↓	↑	
602100413	E	Antique copper	3/4"	3/4"	angle	↓	↑	
602100416	E	Antyczny Mosiądz	3/4"	3/4"	angle	↓	↑	

EXCLUSIVE VALVE SETS

DUO-PLEX CONNECTION BLOCK SETS 3/4 x 3/4


Duo-plex connection block set, straight
602100406

RAL/SPECIAL

Available finishes:



Set includes: DUO-PLEX valve,
Thermostatic head.
Spacing D=50 mm



Duo-plex set
angle left

Duo-plex set
angle right


Duo-plex set
straight




Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
602100403	 White	3/4"	3/4"	straight	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602100406	 Chrome	3/4"	3/4"	straight	
602100409	 Satin	3/4"	3/4"	straight	
602100412	 Steel	3/4"	3/4"	straight	
602100415	 Antique copper	3/4"	3/4"	straight	
602100418	 Antique brass	3/4"	3/4"	straight	

DUO-PLEX 3/4 x 3/4


Supply on the left




connector swap




Supply on the right



connector swap





DUO-PLEX MINI CONNECTION BLOCK SETS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)



Duo-plex connection block set, angle left
606200026

[RAL/SPECIAL](#)

Available finishes:



Set includes: Duo-plex valve,
Thermostatic head.
Spacing D=50 mm

Valve with round bar
available on demand.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
606200026	E	White	M22x1,5	3/4"	angle left	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
606200017	E	Chrome	M22x1,5	3/4"	angle left	yes	↑	↓	
606200027	E	White	M22x1,5	3/4"	angle right	yes	↓	↑	
606200018	E	Chrome	M22x1,5	3/4"	angle right	yes	↓	↑	
606200028	E	White	M22x1,5	3/4"	straight	yes			
606200019	E	Chrome	M22x1,5	3/4"	straight	yes			

DUO-PLEX MINI CONNECTION BLOCK SETS



Duo-plex connection block set, angle left
606200011

[RAL/SPECIAL](#)


Set includes: Duo-plex valve,
Thermostatic head.
Spacing D=50 mm

Valve with round bar
available on demand.


Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
606200011	E	Nickel plated	M22x1,5	3/4"	angle left	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
606200012	E	Nickel plated	M22x1,5	3/4"	angle right	yes	↑	↓	
606200013	E	Nickel plated	M22x1,5	3/4"	straight	yes			

EXCLUSIVE VALVE SETS


T-CONNECTION BLOCK SETS TYPE 40




T-connection
block set angle
right



T-connection
block set angle
left



T-connection
block set straight
right



T-connection
block set straight
left

T-connection block set, angle right
602100063

RAL/SPECIAL

Available finishes:



Set includes: T-connection block,
Thermostatic head. D=40 mm,
set with a 30 cm collector pipe.




70

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602100062	E	White	M22x1,5	1/2"	angle left	↓	↑	
602100064	E	Chrome	M22x1,5	1/2"	angle left	↓	↑	
602100066	E	Satin	M22x1,5	1/2"	angle left	↓	↑	
602100068	E	Steel	M22x1,5	1/2"	angle left	↓	↑	
602100070	E	Antique copper	M22x1,5	1/2"	angle left	↓	↑	
602100072	E	Antique brass	M22x1,5	1/2"	angle left	↓	↑	
602100061	E	White	M22x1,5	1/2"	angle right	↑	↓	
602100063	E	Chrome	M22x1,5	1/2"	angle right	↑	↓	
602100065	E	Satin	M22x1,5	1/2"	angle right	↑	↓	
602100067	E	Steel	M22x1,5	1/2"	angle right	↑	↓	
602100069	E	Antique copper	M22x1,5	1/2"	angle right	↑	↓	
602100071	E	Antique brass	M22x1,5	1/2"	angle right	↑	↓	
602100073	E	White	M22x1,5	1/2"	straight			
602100074	E	Chrome	M22x1,5	1/2"	straight			
602100075	E	Satin	M22x1,5	1/2"	straight			
602100076	E	Steel	M22x1,5	1/2"	straight			
602100077	E	Antique copper	M22x1,5	1/2"	straight			
602100078	E	Antique brass	M22x1,5	1/2"	straight			

Pipe connectors for the
valve need to be ordered
separately, listed on page:

104-106



T-CONNECTION BLOCK SETS TYPE 50



T-connection block set, angle right
602400053

RAL/SPECIAL

Available finishes:




Set includes: T-connection block,
Thermostatic head. D=50 mm,
set with a 30 cm collector pipe

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602400052	E White	M22x1,5	1/2"	angle left	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
602400054	E Chrome	M22x1,5	1/2"	angle left	↓	↑	
602400056	E Satin	M22x1,5	1/2"	angle left	↓	↑	
602400058	E Steel	M22x1,5	1/2"	angle left	↓	↑	
602400060	E Antique copper	M22x1,5	1/2"	angle left	↓	↑	
602400062	E Antique brass	M22x1,5	1/2"	angle left	↓	↑	
602400051	E White	M22x1,5	1/2"	angle right	↑	↓	
602400053	E Chrome	M22x1,5	1/2"	angle right	↑	↓	
602400055	E Satin	M22x1,5	1/2"	angle right	↑	↓	
602400057	E Steel	M22x1,5	1/2"	angle right	↑	↓	
602400059	E Antique copper	M22x1,5	1/2"	angle right	↑	↓	
602400061	E Antique brass	M22x1,5	1/2"	angle right	↑	↓	

EXCLUSIVE VALVE SETS

EXCLUSIVE H-VALVE SETS



Exclusive H-valves
set straight

Exclusive H-valves
set angle

Double H-valve for a V-type radiator, angle

601000024

RAL/SPECIAL

Available finishes:



Two type of sets. Set includes:

A) H-valve, 2 pcs. Nipples 1/2x3/4,
Thermostatic head.

B) H-valve, Thermostatic head


Spacing D=50 mm



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipple	Additional information
601000020	E	White	M22x1,5	3/4"	angle	yes	
601000022	E	White	M22x1,5	3/4"	angle	no	
601000024	E	Chrome	M22x1,5	3/4"	angle	yes	
601000026	E	Chrome	M22x1,5	3/4"	angle	no	
601000028	E	Satin	M22x1,5	3/4"	angle	yes	
601000030	E	Satin	M22x1,5	3/4"	angle	no	
601000032	E	Steel	M22x1,5	3/4"	angle	yes	
601000034	E	Steel	M22x1,5	3/4"	angle	no	
601000036	E	Antique copper	M22x1,5	3/4"	angle	yes	
601000038	E	Antique copper	M22x1,5	3/4"	angle	no	
601000040	E	Antique brass	M22x1,5	3/4"	angle	yes	
601000042	E	Antique brass	M22x1,5	3/4"	angle	no	
601000021	E	White	M22x1,5	3/4"	straight	yes	
601000023	E	White	M22x1,5	3/4"	straight	no	
601000025	E	Chrome	M22x1,5	3/4"	straight	yes	
601000027	E	Chrome	M22x1,5	3/4"	straight	no	
601000029	E	Satin	M22x1,5	3/4"	straight	yes	
601000031	E	Satin	M22x1,5	3/4"	straight	no	
601000033	E	Steel	M22x1,5	3/4"	straight	yes	
601000035	E	Steel	M22x1,5	3/4"	straight	no	
601000037	E	Antique copper	M22x1,5	3/4"	straight	yes	
601000039	E	Antique copper	M22x1,5	3/4"	straight	no	
601000041	E	Antique brass	M22x1,5	3/4"	straight	yes	
601000043	E	Antique brass	M22x1,5	3/4"	straight	no	

Pipe connectors for
the valve need to be
ordered separately,
listed on page:

104-106



Elegant manual
set straight

Elegant manual
set angle


ELEGANT SETS



Manual angle valve set, angle
604200003

RAL/SPECIAL

Available finishes:




Set includes: Manual valve, lockshield valve.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200001	E	White	M22x1,5	1/2"	angle	Cu
604200002	E	White	M22x1,5	1/2"	angle	Pex
604200003	E	Chrome	M22x1,5	1/2"	angle	Cu
604200004	E	Chrome	M22x1,5	1/2"	angle	Pex
604200005	E	White – Chrome	M22x1,5	1/2"	angle	Cu
604200006	E	White – Chrome	M22x1,5	1/2"	angle	Pex
604200041	E	Antique copper	M22x1,5	1/2"	angle	Cu
604200042	E	Antique copper	M22x1,5	1/2"	angle	Pex
604200043	E	Antique brass	M22x1,5	1/2"	angle	Cu
604200044	E	Antique brass	M22x1,5	1/2"	angle	Pex
604200045	E	Steel	M22x1,5	1/2"	angle	Cu
604200046	E	Steel	M22x1,5	1/2"	angle	Pex
604200047	E	Satin	M22x1,5	1/2"	angle	Cu
604200048	E	Satin	M22x1,5	1/2"	angle	Pex
604200049	E	Gold	M22x1,5	1/2"	angle	Cu
604200050	E	Gold	M22x1,5	1/2"	angle	Pex
604200051	E	Gold matt	M22x1,5	1/2"	angle	Cu
604200052	E	Gold matt	M22x1,5	1/2"	angle	Pex
604200101	E	White	M22x1,5	1/2"	angle	Steel 1/2"
604200102	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"
604200103	E	White – Chrome	M22x1,5	1/2"	angle	Steel 1/2"
604200104	E	Antique copper	M22x1,5	1/2"	angle	Steel 1/2"
604200105	E	Antique brass	M22x1,5	1/2"	angle	Steel 1/2"
604200106	E	Steel	M22x1,5	1/2"	angle	Steel 1/2"
604200107	E	Satin	M22x1,5	1/2"	angle	Steel 1/2"
604200108	E	Gold	M22x1,5	1/2"	angle	Steel 1/2"
604200109	E	Gold matt	M22x1,5	1/2"	angle	Steel 1/2"

EXCLUSIVE VALVE SETS

ELEGANT SETS



Elegant manual
set straight

Elegant manual
set angle

Manual straight valve set, straight
604200023


RAL/SPECIAL

Available finishes:



Set includes: Manual valve, lockshield valve.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200021	E	White	M22x1,5	1/2"	straight	Cu
604200022	E	White	M22x1,5	1/2"	straight	Pex
604200023	E	Chrome	M22x1,5	1/2"	straight	Cu
604200024	E	Chrome	M22x1,5	1/2"	straight	Pex
604200025	E	White – Chrome	M22x1,5	1/2"	straight	Cu
604200026	E	White – Chrome	M22x1,5	1/2"	straight	Pex
604200055	E	Antique copper	M22x1,5	1/2"	straight	Cu
604200056	E	Antique copper	M22x1,5	1/2"	straight	Pex
604200057	E	Antique brass	M22x1,5	1/2"	straight	Cu
604200058	E	Antique brass	M22x1,5	1/2"	straight	Pex
604200059	E	Steel	M22x1,5	1/2"	straight	Cu
604200060	E	Steel	M22x1,5	1/2"	straight	Pex
604200061	E	Satin	M22x1,5	1/2"	straight	Cu
604200062	E	Satin	M22x1,5	1/2"	straight	Pex
604200063	E	Gold	M22x1,5	1/2"	straight	Cu
604200064	E	Gold	M22x1,5	1/2"	straight	Pex
604200065	E	Gold matt	M22x1,5	1/2"	straight	Cu
604200066	E	Gold matt	M22x1,5	1/2"	straight	Pex
604200111	E	White	M22x1,5	1/2"	straight	Steel 1/2"
604200112	E	Chrome	M22x1,5	1/2"	straight	Steel 1/2"
604200113	E	White – Chrome	M22x1,5	1/2"	straight	Steel 1/2"
604200114	E	Antique copper	M22x1,5	1/2"	straight	Steel 1/2"
604200115	E	Antique brass	M22x1,5	1/2"	straight	Steel 1/2"
604200116	E	Steel	M22x1,5	1/2"	straight	Steel 1/2"
604200117	E	Satin	M22x1,5	1/2"	straight	Steel 1/2"
604200118	E	Gold	M22x1,5	1/2"	straight	Steel 1/2"
604200119	E	Gold matt	M22x1,5	1/2"	straight	Steel 1/2"



Elegant
thermostatic
set straight

Elegant
thermostatic
set angle

ELEGANT SETS



Thermostatic angle valve set, angle
604200013

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head,
thermostatic valve, lockshield valve.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200011	E	White	M22x1,5	1/2"	angle	Cu
604200012	E	White	M22x1,5	1/2"	angle	Pex
604200013	E	Chrome	M22x1,5	1/2"	angle	Cu
604200014	E	Chrome	M22x1,5	1/2"	angle	Pex
604200015	E	White – Chrome	M22x1,5	1/2"	angle	Cu
604200016	E	White – Chrome	M22x1,5	1/2"	angle	Pex
604200019	E	Steel	M22x1,5	1/2"	angle	Cu
604200020	E	Steel	M22x1,5	1/2"	angle	Pex
604200069	E	Satin	M22x1,5	1/2"	angle	Cu
604200070	E	Satin	M22x1,5	1/2"	angle	Pex
604200071	E	Antique copper	M22x1,5	1/2"	angle	Cu
604200072	E	Antique copper	M22x1,5	1/2"	angle	Pex
604200073	E	Antique brass	M22x1,5	1/2"	angle	Cu
604200074	E	Antique brass	M22x1,5	1/2"	angle	Pex
604200085	E	Gold	M22x1,5	1/2"	angle	Cu
604200086	E	Gold	M22x1,5	1/2"	angle	Pex
604200087*	E	Gold matt	M22x1,5	1/2"	angle	Cu
604200088*	E	Gold matt	M22x1,5	1/2"	angle	Pex
604200121	E	White	M22x1,5	1/2"	angle	Steel 1/2"
604200122	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"
604200123	E	White – Chrome	M22x1,5	1/2"	angle	Steel 1/2"
604200124	E	Antique copper	M22x1,5	1/2"	angle	Steel 1/2"
604200125	E	Antique brass	M22x1,5	1/2"	angle	Steel 1/2"
604200126	E	Steel	M22x1,5	1/2"	angle	Steel 1/2"
604200127	E	Satin	M22x1,5	1/2"	angle	Steel 1/2"
604200128	E	Gold	M22x1,5	1/2"	angle	Steel 1/2"
604200129*	E	Gold matt	M22x1,5	1/2"	angle	Steel 1/2"

* Set with a MINI thermostatic head

EXCLUSIVE VALVE SETS

ELEGANT SETS



Elegant
thermostatic
set straight

Elegant
thermostatic
set angle

Thermostatic straight valve set, straight
604200033

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head,
thermostatic valve, lockshield valve.



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200031	E	White	M22x1,5	1/2"	straight	Cu
604200032	E	White	M22x1,5	1/2"	straight	Pex
604200033	E	Chrome	M22x1,5	1/2"	straight	Cu
604200034	E	Chrome	M22x1,5	1/2"	straight	Pex
604200035	E	White – Chrome	M22x1,5	1/2"	straight	Cu
604200036	E	White – Chrome	M22x1,5	1/2"	straight	Pex
604200075	E	Steel	M22x1,5	1/2"	straight	Cu
604200076	E	Steel	M22x1,5	1/2"	straight	Pex
604200077	E	Satin	M22x1,5	1/2"	straight	Cu
604200078	E	Satin	M22x1,5	1/2"	straight	Pex
604200079	E	Antique copper	M22x1,5	1/2"	straight	Cu
604200080	E	Antique copper	M22x1,5	1/2"	straight	Pex
604200081	E	Antique brass	M22x1,5	1/2"	straight	Cu
604200082	E	Antique brass	M22x1,5	1/2"	straight	Pex
604200089	E	Gold	M22x1,5	1/2"	straight	Cu
604200090	E	Gold	M22x1,5	1/2"	straight	Pex
604200091*	E	Gold matt	M22x1,5	1/2"	straight	Cu
604200092*	E	Gold matt	M22x1,5	1/2"	straight	Pex
604200131	E	White	M22x1,5	1/2"	straight	Steel 1/2"
604200132	E	Chrome	M22x1,5	1/2"	straight	Steel 1/2"
604200133	E	White – Chrome	M22x1,5	1/2"	straight	Steel 1/2"
604200134	E	Antique copper	M22x1,5	1/2"	straight	Steel 1/2"
604200135	E	Antique brass	M22x1,5	1/2"	straight	Steel 1/2"
604200136	E	Steel	M22x1,5	1/2"	straight	Steel 1/2"
604200137	E	Satin	M22x1,5	1/2"	straight	Steel 1/2"
604200138	E	Gold	M22x1,5	1/2"	straight	Steel 1/2"
604200139*	E	Gold matt	M22x1,5	1/2"	straight	Steel 1/2"

* Set with a MINI thermostatic head



Elegant mini
thermostatic set
side-angle right

Elegant mini
thermostatic set
side-angle left

Elegant mini
thermostatic set
straight

Elegant mini
thermostatic set
angle

ELEGANT MINI SETS


Sets available in a wide colour range.
Versions: Satin, Steel, Antique copper, Antique brass,
available on demand.



Thermostatic angle valve set, angle
603400047

RAL/SPECIAL

Available finishes:



Set includes: Thermostatic head,
thermostatic valve, lockshield valve.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
603400041	E White	M22x1,5	1/2"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
603400042	E White – Chrome	M22x1,5	1/2"	angle	
603400047	E Chrome	M22x1,5	1/2"	angle	


77



Thermostatic straight valve set, straight
603400049

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head,
thermostatic valve, lockshield valve.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
603400043	E White	M22x1,5	1/2"	straight	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
603400044	E White – Chrome	M22x1,5	1/2"	straight	
603400049	E Chrome	M22x1,5	1/2"	straight	

EXCLUSIVE VALVE SETS

ELEGANT MINI SETS



Thermostatic side-angle left valve set,
side-angle left
603400051

RAL/SPECIAL

Available finishes:




Set includes: Thermostatic head,
thermostatic valve, lockshield valve.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
603400045	White	M22x1,5	1/2"	side-angle left	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
603400046	White – Chrome	M22x1,5	1/2"	side-angle left	↑	↓	
603400051	Chrome	M22x1,5	1/2"	side-angle left	↑	↓	

Thermostatic side-angle right valve set,
side-angle right
603400073


RAL/SPECIAL

Available finishes:



Set includes: Thermostatic head,
thermostatic valve, lockshield valve.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
603400071	White	M22x1,5	1/2"	side-angle right	↓	↑	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
603400072	White – Chrome	M22x1,5	1/2"	side-angle right	↓	↑	
603400073	Chrome	M22x1,5	1/2"	side-angle right	↓	↑	



Elegant Style
manual set angle

ELEGANT STYLE MANUAL SETS

Elegant Style series is made based on Elegant valve bodies.

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Manual valve set, angle
604800007

RAL/SPECIAL

Available finishes:



Set includes: Manual valve, lockshield valve.



Manual valve set, angle
604800010

RAL/SPECIAL

Available finishes:




Set includes: Manual valve, lockshield valve.

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604800001	E	White with a wooden top	M22x1,5	1/2"	angle	Cu
604800002	E	White with a wooden top	M22x1,5	1/2"	angle	Pex
604800003	E	White with a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800004	E	White without a wooden top	M22x1,5	1/2"	angle	Cu
604800005	E	White without a wooden top	M22x1,5	1/2"	angle	Pex
604800006	E	White without a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800007	E	Chrome with a wooden top	M22x1,5	1/2"	angle	Cu
604800008	E	Chrome with a wooden top	M22x1,5	1/2"	angle	Pex
604800009	E	Chrome with a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800010	E	Chrome without a wooden top	M22x1,5	1/2"	angle	Cu
604800011	E	Chrome without a wooden top	M22x1,5	1/2"	angle	Pex
604800012	E	Chrome without a wooden top	M22x1,5	1/2"	angle	Steel 1/2"

EXCLUSIVE VALVE SETS

ELEGANT PRESTIGE MANUAL SETS



Elegant Prestige
manual set angle

Prestige series is made based on Elegant valve bodies also on LUX and Exclusive. Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand. Manual, wooden handwheels are available in three shapes: conical, cylindrical thin, cylindrical thick.

Elegant Prestige manual set
with a conical handwheel, angle
604500010

RAL/SPECIAL

Available finishes:



Set includes: manual valve,
lockshield valve.


Wooden elements available with
following dyes:



OAK MAHOGANY WENGE



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Type of wooden handwheel
604500001	E	White	M22x1,5	1/2"	angle	Cu	conical
604500002	E	White	M22x1,5	1/2"	angle	Pex	conical
604500003	E	White	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500004	E	White	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500005	E	White	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500006	E	White	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500007	E	Chrome	M22x1,5	1/2"	angle	Cu	conical
604500008	E	Chrome	M22x1,5	1/2"	angle	Pex	conical
604500009	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500010	E	Chrome	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500011	E	Chrome	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500012	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500013	E	Chrome	M22x1,5	1/2"	angle	Cu	cylindrical thin
604500014	E	Chrome	M22x1,5	1/2"	angle	Pex	cylindrical thin
604500015	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thin
604500016	E	Chrome	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500017	E	Chrome	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500018	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick



Elegant Prestige
thermostatic set
angle

ELEGANT PRESTIGE THERMOSTATIC SETS

Prestige series is made based on Elegant valve bodies also on LUX and Exclusive. Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand. Manual, wooden handwheels are available in three shapes: conical, cylindrical thin, cylindrical thick.



Elegant Prestige thermostatic set
with a conical handwheel, angle
604500083

RAL/SPECIAL

Available finishes:



Set includes: thermostatic valve with
a head, lockshield valve.

Wooden elements available with
following dyes:



OAK MAHOGANY WENGE

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Type of wooden handwheel
604500073	E	White	M22x1,5	1/2"	angle	Cu	conical
604500074	E	White	M22x1,5	1/2"	angle	Pex	conical
604500075	E	White	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500079	E	White	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500080	E	White	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500081	E	White	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500082	E	Chrome	M22x1,5	1/2"	angle	Cu	conical
604500083	E	Chrome	M22x1,5	1/2"	angle	Pex	conical
604500084	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500088	E	Chrome	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500089	E	Chrome	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500090	E	Chrome	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick

EXCLUSIVE VALVE SETS

HANDWHEELS FOR MANUAL SETS



138



167



168

Wooden elements available with following dyes:



OAK



MAHOGANY



WENGE

Photo no.	Product
138	Manual valve cylindrical thin handwheel
167	Manual valve conical handwheel
168	Manual valve cylindrical thick handwheel

HANDWHEELS FOR THERMOSTATIC SETS



151



157

Wooden elements available with following dyes:



OAK




MAHOGANY



WENGE

Photo no.	Product
151	Thermostatic valve conical handwheel
157	Thermostatic valve cylindrical handwheel



SQUARE THERMOSTATIC SETS

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Square thermostatic set, angle
605800002

RAL/SPECIAL

Available finishes:



Set includes: Square thermostatic valve, Square lockshield valve, Square head, integrated connectors.

Product Code		Colour	Radiator connection	Pattern	Connector
605800001	E	White	1/2"	angle	Cu
605800002	E	Chrome	1/2"	angle	Cu
605800021	E	White	1/2"	angle	Pex
605800022	E	Chrome	1/2"	angle	Pex
605800041	E	White	1/2"	angle	Steel 1/2"
605800042	E	Chrome	1/2"	angle	Steel 1/2"


Duo-plex connection block



EXCLUSIVE VALVE SETS

SQUARE THERMOSTATIC SETS

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Square thermostatic set,
side-angle
605800008

RAL/SPECIAL

Available finishes:




Set includes: Square thermostatic valve,
Square lockshield valve, Square head,
integrated connectors



Product Code		Colour	Radiator connection	Pattern	Connector
605800007	E	White	1/2"	side-angle	Cu
605800008	E	Chrome	1/2"	side-angle	Cu
605800027	E	White	1/2"	side-angle	Pex
605800028	E	Chrome	1/2"	side-angle	Pex
605800047	E	White	1/2"	side-angle	Steel 1/2"
605800048	E	Chrome	1/2"	side-angle	Steel 1/2"

Exclusive H-valve





Square manual set
angle

Square manual set
side-angle

SQUARE MANUAL SETS

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Square manual set, angle

605800062

RAL/SPECIAL

Available finishes:




Set includes: Square manual valve, Square lockshield valve, integrated connectors.

Product Code		Colour	Radiator connection	Pattern	Connector
605800061	E	White	1/2"	angle	Cu
605800062	E	Chrome	1/2"	angle	Cu
605800081	E	White	1/2"	angle	Pex
605800082	E	Chrome	1/2"	angle	Pex
605800101	E	White	1/2"	angle	Steel 1/2"
605800102	E	Chrome	1/2"	angle	Steel 1/2"
605800067	E	White	1/2"	side-angle	Cu
605800068	E	Chrome	1/2"	side-angle	Cu
605800087	E	White	1/2"	side-angle	Pex
605800088	E	Chrome	1/2"	side-angle	Pex
605800107	E	White	1/2"	side-angle	Steel 1/2"
605800108	E	Chrome	1/2"	side-angle	Steel 1/2"

EXCLUSIVE VALVE SETS

DUO-PLEX SQUARE THERMOSTATIC SETS

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Duo-plex Square thermostatic set,
angle right
605900067

RAL/SPECIAL

Available finishes:




Set includes: Square angle Duo-plex valve,
Square thermostatic head, integrated
connectors.

Thermostatic head mounted on the supply
pipe version available on demand.
As a standard the thermostatic head is
mounted on the return pipe.




V-type radiators, D=50 mm.

Product Code		Colour	Radiator connection	Pattern	Left side	Right side	Connector
605900064	E	White	1/2"	angle left	↓	↑	Cu
605900065	E	White	1/2"	angle left	↓	↑	Pex
605900066	E	White	1/2"	angle left	↓	↑	Steel 1/2"
605900070	E	Chrome	1/2"	angle left	↓	↑	Cu
605900071	E	Chrome	1/2"	angle left	↓	↑	Pex
605900072	E	Chrome	1/2"	angle left	↓	↑	Steel 1/2"
605900061	E	White	1/2"	angle right	↑	↓	Cu
605900062	E	White	1/2"	angle right	↑	↓	Pex
605900063	E	White	1/2"	angle right	↑	↓	Steel 1/2"
605900067	E	Chrome	1/2"	angle right	↑	↓	Cu
605900068	E	Chrome	1/2"	angle right	↑	↓	Pex
605900069	E	Chrome	1/2"	angle right	↑	↓	Steel 1/2"



DUO-PLEX SQUARE MANUAL SETS

Sets available in a wide colour range. Versions: Satin, Steel, Antique copper, Antique brass, available on demand.



Duo-plex Square manual set,
angle right

605900117

RAL/SPECIAL

Available finishes:




Set includes: Square angle Duo-plex manual
valve, integrated connectors.

Product Code	Colour	Radiator connection	Pattern	Connector	Left side	Right side
605900114	E White	1/2"	angle left	Cu	↓	↑
605900115	E White	1/2"	angle left	Pex	↓	↑
605900116	E White	1/2"	angle left	Steel 1/2"	↓	↑
605900120	E Chrome	1/2"	angle left	Cu	↓	↑
605900121	E Chrome	1/2"	angle left	Pex	↓	↑
605900122	E Chrome	1/2"	angle left	Steel 1/2"	↓	↑
605900111	E White	1/2"	angle right	Cu	↑	↓
605900112	E White	1/2"	angle right	Pex	↑	↓
605900113	E White	1/2"	angle right	Steel 1/2"	↑	↓
605900117	E Chrome	1/2"	angle right	Cu	↑	↓
605900118	E Chrome	1/2"	angle right	Pex	↑	↓
605900119	E Chrome	1/2"	angle right	Steel 1/2"	↑	↓

UNDERFLOOR HEATING SYSTEM

Underfloor heating is a low temperature, accumulative heating system. When properly planned, made and used it guarantees constant temperature and room humidity, creates the most recommended indoor climate.

Casette Sets With A Thermostatic Valve	90
Casette Temperature Limiters RTL	91
Casette Temperature Limiters RTL Kombi	92
Temperature Limiter RTL Lux Set	93
Temperature Limiter RTL Duo-Plex Set	96
Actuators	97



UNDERFLOOR HEATING SYSTEM

CASSETTE SET WITH A THERMOSTATIC VALVE



CASSETTE SETS WITH A THERMOSTATIC VALVE. Used for heating medium temperature limiting in an underfloor heating system pipe. The system should not exceed the area of 20 m², total heating pipe loop length of 100 m and inner pipe diameter of 12 mm. Thermostatic valve responds to changes of room air temperature. The underfloor heating system should be provided with over-temperature protection preventing the heating medium from exceeding 50°C.

The set includes a cassette, in which a thermostatic valve with a built-in air vent and a thermostatic head.



Cassette set with a thermostatic valve
603200001

Product Code		Thermostatic head colour	Pipe connection	Box type and colour	Thermostatic head type	Box dimensions
603200001	E	White	3/4"	square white	Brillant	145 x 145 x 60 mm
603200002	E	White-Chrome	3/4"	square white	Brillant	145 x 145 x 60 mm
603200003	E	Chrome	3/4"	square chrome	Brillant	145 x 145 x 60 mm
603200061	E	White	3/4"	rectangular white	Diamant	145 x 185 x 60 mm
603200062	E	White	3/4"	rectangular white	Brillant	145x 185 x 60 mm
603200063	E	White-Chrome	3/4"	rectangular white	Brillant	145 x 185 x 60 mm
603200064	E	Chrome	3/4"	rectangular chrome	Brillant	145 x 185 x 60 mm

Cassette temperature limiter RTL



CASSETTE TEMPERATURE LIMITER RTL

Cassette temperature limiter RTL is used for limiting the heating medium's temperature in an underfloor heating system. Thanks to the temperature limiter the heating medium temperature in the pipe loop is protected from rising above 50°C. Using the temperature limiter eliminates the need to install a mixing valve and an additional pump. This is the reason for using it in combined underfloor and radiator heating systems. Temperatures may be set within the 0-50°C range. 



Cassette temperature limiter RTL
603200033

Product Code		Thermostatic head colour	Pipe connection	Box type and colour	Thermostatic head type	Box dimensions
603200031		White	3/4"	square white	Brillant RTL	145 x 145 x 60 mm
603200032		White-Chrome	3/4"	square white	Brillant RTL	145 x 145 x 60 mm
603200033		Chrome	3/4"	square chrome	Brillant RTL	145 x 145 x 60 mm
603200041		White	3/4"	rectangular white	Diamant RTL	145 x 185 x 60 mm
603200042		White	3/4"	rectangular white	Brillant RTL	145 x 185 x 60 mm
603200043		White-Chrome	3/4"	rectangular white	Brillant RTL	145 x 185 x 60 mm
603200044		Chrome	3/4"	rectangular chrome	Brillant RTL	145 x 185 x 60 mm



Cassette temperature limiter RTL
603200045

Product Code		Thermostatic head colour	Pipe connection	Box type and colour	Thermostatic head type	Box dimensions
603200045		White	3/4"	rectangular closed white	Diamant RTL	145 x 185 x 60 mm
603200046		White	3/4"	rectangular closed white	Mini RTL	145 x 185 x 60 mm

UNDERFLOOR HEATING SYSTEM

CASSETTE TEMPERATURE LIMITER RTL KOMBI



Cassette temperature limiter RTL Kombi
603200071

Product Code		Thermostatic head colour	Pipe connection	Thermostatic head type	Box dimensions
603200071	S	White	3/4"	Diamant	145 x 185 x 60 mm
603200072	S	White	3/4"	Brillant	145 x 185 x 60 mm
603200073	S	White-Chrome	3/4"	Brillant	145 x 185 x 60 mm


92

TEMPERATURE LIMITER RTL SET




Temperature limiter RTL set
603200010


Product Code		Valve colour	Pattern	Pipe connection	Radiator connection	Thermostatic head type
603200010	S	Nickel plated	straight	M22 x 1,5	1/2"	Diamant RTL
603200011	S	White	straight	M22 x 1,5	1/2"	Diamant RTL



Temperature
limiter RTL Lux
set angle



Temperature
limiter RTL Lux
set side-angle left



Temperature
limiter RTL Lux
set side-angle right

TEMPERATURE LIMITER RTL LUX SET

Temperature limiter RTL sets are used in mixed (underfloor heating - radiator) heating systems. Return temperature limiter enables setting the heating medium temperature on constant level regardless of the room temperature. So the radiator can be used as an extra heating source (towelrail function).




RTL Lux Set, angle

603900002

RAL/SPECIAL

Available finishes:




Set includes: Lux RTL valve, Lux lockshield valve, Brilliant RTL head, integrated connectors.

Product Code		Colour	Radiator connection	Pattern	Connector
603900001	E	White	1/2"	angle	Cu
603900002	E	Chrome	1/2"	angle	Cu
603900003	E	Satin	1/2"	angle	Cu
603900004	E	Steel	1/2"	angle	Cu
603900006	E	Gold	1/2"	angle	Cu
603900007	E	Antique copper	1/2"	angle	Cu
603900008	E	Antique brass	1/2"	angle	Cu
603900031	E	White	1/2"	angle	Pex
603900032	E	Chrome	1/2"	angle	Pex
603900033	E	Satin	1/2"	angle	Pex
603900034	E	Steel	1/2"	angle	Pex
603900036	E	Gold	1/2"	angle	Pex
603900037	E	Antique copper	1/2"	angle	Pex
603900038	E	Antique brass	1/2"	angle	Pex

UNDERFLOOR HEATING SYSTEM

TEMPERATURE LIMITER RTL LUX SET



RTL sets are made based on Elegant MINI valve bodies as well as Duo-plex and LUX.

RTL Lux Set, side-angle left
603900020

RAL/SPECIAL


Available finishes:



Set includes: Lux RTL valve, Lux lockshield valve, Brillant RTL head, integrated connectors.



Product Code		Colour	Radiator connection	Pattern	Connector	Left side	Right side
603900019	E	White	1/2"	side-angle left	Cu	↓	↑
603900020	E	Chrome	1/2"	side-angle left	Cu	↓	↑
603900021	E	Satin	1/2"	side-angle left	Cu	↓	↑
603900022	E	Steel	1/2"	side-angle left	Cu	↓	↑
603900024	E	Gold	1/2"	side-angle left	Cu	↓	↑
603900025	E	Antique copper	1/2"	side-angle left	Cu	↓	↑
603900026	E	Antique brass	1/2"	side-angle left	Cu	↓	↑
603900049	E	White	1/2"	side-angle left	Pex	↓	↑
603900050	E	Chrome	1/2"	side-angle left	Pex	↓	↑
603900051	E	Satin	1/2"	side-angle left	Pex	↓	↑
603900052	E	Steel	1/2"	side-angle left	Pex	↓	↑
603900054	E	Gold	1/2"	side-angle left	Pex	↓	↑
603900055	E	Antique copper	1/2"	side-angle left	Pex	↓	↑
603900056	E	Antique brass	1/2"	side-angle left	Pex	↓	↑



TEMPERATURE LIMITER RTL LUX SET


RTL sets are made based on Elegant MINI valve bodies as well as Duo-plex and LUX.



RTL Lux Set, side-angle right
603900011

[RAL/SPECIAL](#)

Available finishes:




Set includes: Lux RTL valve, Lux lockshield valve, Brilliant RTL head, integrated connectors.

Product Code		Colour	Radiator connection	Pattern	Connector	Left side	Right side
603900010	E	White	1/2"	side-angle right	Cu	↑	↓
603900011	E	Chrome	1/2"	side-angle right	Cu	↑	↓
603900012	E	Satin	1/2"	side-angle right	Cu	↑	↓
603900013	E	Steel	1/2"	side-angle right	Cu	↑	↓
603900015	E	Gold	1/2"	side-angle right	Cu	↑	↓
603900016	E	Antique copper	1/2"	side-angle right	Cu	↑	↓
603900017	E	Antique brass	1/2"	side-angle right	Cu	↑	↓
603900040	E	White	1/2"	side-angle right	Pex	↑	↓
603900041	E	Chrome	1/2"	side-angle right	Pex	↑	↓
603900042	E	Satin	1/2"	side-angle right	Pex	↑	↓
603900043	E	Steel	1/2"	side-angle right	Pex	↑	↓
603900045	E	Gold	1/2"	side-angle right	Pex	↑	↓
603900046	E	Antique copper	1/2"	side-angle right	Pex	↑	↓
603900047	E	Antique brass	1/2"	side-angle right	Pex	↑	↓

UNDERFLOOR HEATING SYSTEM

TEMPERATURE LIMITER RTL DUO-PLEX SET



RTL DUO-PLEX Set, angle right
605500033

RAL/SPECIAL

Available finishes:



Set includes: Duo-plex valve, 2 pcs.
Nipple 1/2x3/4, Brillant RTL head.
V-type radiators, D=50 mm.



Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples 1/2x3/4	Left side	Right side	Additional information
605500032	E	White	M22x1,5	3/4"	angle left	yes	↓	↑	
605500034	E	Chrome	M22x1,5	3/4"	angle left	yes	↓	↑	
605500036	E	Satin	M22x1,5	3/4"	angle left	yes	↓	↑	
605500038	E	Steel	M22x1,5	3/4"	angle left	yes	↓	↑	
605500040	E	Antique copper	M22x1,5	3/4"	angle left	yes	↓	↑	
605500042	E	Antique brass	M22x1,5	3/4"	angle left	yes	↓	↑	
605500031	E	White	M22x1,5	3/4"	angle right	yes	↑	↓	
605500033	E	Chrome	M22x1,5	3/4"	angle right	yes	↑	↓	
605500035	E	Satin	M22x1,5	3/4"	angle right	yes	↑	↓	
605500037	E	Steel	M22x1,5	3/4"	angle right	yes	↑	↓	
605500039	E	Antique copper	M22x1,5	3/4"	angle right	yes	↑	↓	
605500041	E	Antique brass	M22x1,5	3/4"	angle right	yes	↑	↓	
605500051	E	White	M22x1,5	3/4"	straight	yes			
605500052	E	Chrome	M22x1,5	3/4"	straight	yes			
605500053	E	Satin	M22x1,5	3/4"	straight	yes			
605500054	E	Steel	M22x1,5	3/4"	straight	yes			
605500055	E	Antique copper	M22x1,5	3/4"	straight	yes			
605500056	E	Antique brass	M22x1,5	3/4"	straight	yes			

Pipe connectors for the set need to be ordered separately, listed on page:

104-106

ACTUATOR (NORMALLY CLOSED)

ACTUATOR is a normally closed, two-position actuator mounted on a manifold and are the regulation element of the underfloor heating system. When connected to electricity the wax sensor of the actuator is electrically heated and the movement of the spindle opens the valve allowing the heating medium to flow in the pipe loop.



97

Actuator (normally closed) IP50 24V
603200053



Product description:

Electric normally closed actuator 24 V for mounting on regulation valve. Can be used as a two position actuator (open/closed).

Cable length 70 cm (order of a specific cable length possible).

Gray tabs are mounted on the end of 24V actuator cable.

Connection thread: M30x1,5

Actuator (normally closed) IP50 230V
603200051



Product description:

Electric normally closed actuator 230 V for mounting on regulation valve. Can be used as a two position actuator (open/closed).

Cable length 70 cm (order of a specific cable length possible).

White tabs are mounted on the end of 230V actuator cable.

Connection thread: M30x1,5

SANITARY FITTINGS

Sanitary fittings allow proper connection of elements of the water system. They include:

- **DRAW-OFF VALVE** used in water systems as a draw-off valve with connection of household appliances or an elastic cord,
- **ISOLATION VALVE** with rosette used for connecting sanitary ware by means of elastic cords with G ½ or G3/8 connection nut,
- **COMBINED ISOLATION VALVE** with rosette used for connecting a washbasin or sink faucet and a dishwasher or washing machine simultaneously,
- **ISOLATION VALVE WITH FILTER AND ROSETTE DN15 1/2GZ X 3/8GZ** – used for connecting sanitary ware (washbasin, sink) by elastic cord with G3/8 connection nut, sanitary ware with copper pipes 10x1 using a clamp for 3/8x10 connection valves.



SANITARY FITTINGS

DRAW OFF VALVE

S 606000011

Colour: Chrome

Connection thread: 1/2" x 3/4"

Description

Used in water systems as a draw-off valve with connection of household appliances or an elastic cord available.



ISOLATION VALVE WITH ROSETTE

S 606000012

Colour: Chrome

Connection thread: 1/2" x 1/2"

Description

For connecting sanitary ware by means of an elastic cords with 1/2" connection nut.



ISOLATION VALVE WITH ROSETTE

S 606000013

Colour: Chrome

Connection thread: 1/2" x 3/8"

Description

For connecting sanitary ware by means of an elastic cords with 3/8" connection nut.



COMBINED ISOLATION VALVE WITH ROSETTE



S 606000014

Colour: Chrome

Connection thread: 1/2" x 3/8" x 3/4"

Description

For connecting a washbasin or sink faucet and a dishwasher or washing machine simultaneously.

ISOLATION VALVE WITH FILTER AND ROSETTE



S 606000015

Colour: Chrome

Connection thread: 1/2" x 3/8"

Description

For connecting: sanitary ware (washbasins, sinks) by means of elastic cords with 3/8" connection nut, sanitary ware faucets with 10x1 copper pipes by means of a compression connector for 3/8 x Ø10 isolation valves (Cat. No. 606000006).

ACCESSORIES

Accessories are indispensable elements of every heating installation. They include: compression connectors, nipples, valve inserts, manual valve handles, T-valves, covers, rosettes, etc.



ACCESSORIES

COMPRESSION CONNECTORS FOR COPPER PIPES

602500001



Product Code		Colour	Internal thread	Additional information
602500001	S	Nickel plated	3/4" x 15 mm	For copper pipes
602500001.01	E	Chrome	3/4" x 15 mm	
602500001.02	E	Satin	3/4" x 15 mm	
602500001.03	E	Steel	3/4" x 15 mm	
602500001.04	E	Gold	3/4" x 15 mm	
602500001.05	E	Gold matt	3/4" x 15 mm	
602500001.06	E	White	3/4" x 15 mm	
602500001.10	E	Antique brass	3/4" x 15 mm	
602500001.11	E	Antique copper	3/4" x 15 mm	

602500004



Product Code		Colour	Internal thread	Additional information
602500002	S	Nickel plated	M22x1,5 x 15 mm	For copper pipes
602500002.02	E	Satin	M22x1,5 x 15 mm	
602500002.03	E	Steel	M22x1,5 x 15 mm	
602500002.04	E	Gold	M22x1,5 x 15 mm	
602500002.05	E	Gold matt	M22x1,5 x 15 mm	
602500002.10	E	Antique brass	M22x1,5 x 15 mm	
602500002.11	E	Antique copper	M22x1,5 x 15 mm	
602500003	E	White	M22x1,5 x 15 mm	
602500004	E	Chrome	M22x1,5 x 15 mm	
602500005	E	Technoline	M22x1,5 x 15 mm	

COMPRESSION CONNECTORS FOR PLASTIC PIPES



602600001

Product Code		Colour	Internal thread	Additional information
602600001	S	Nickel plated	3/4" – 16x2	For plastic pipes
602600002	S	Nickel plated	3/4" – 17x2	
602600001.01	E	Chrome	3/4" – 16x2	
602600001.02	E	Satin	3/4" – 16x2	
602600001.03	E	Steel	3/4" – 16x2	
602600001.04	E	Gold	3/4" – 16x2	
602600001.05	E	Gold matt	3/4" – 16x2	
602600001.06	E	White	3/4" – 16x2	
602600001.10	E	Antique brass	3/4" – 16x2	
602600001.11	E	Antique copper	3/4" – 16x2	



602600006

Product Code		Colour	Internal thread	Additional information
602600003	S	Nickel plated	M22x1,5 – 16x2	For plastic pipes
602600003.02	E	Satin	M22x1,5 – 16x2	
602600003.03	E	Steel	M22x1,5 – 16x2	
602600003.04	E	Gold	M22x1,5 – 16x2	
602600003.05	E	Gold matt	M22x1,5 – 16x2	
602600003.10	E	Antique brass	M22x1,5 – 16x2	
602600003.11	E	Antique copper	M22x1,5 – 16x2	
602600005	E	White	M22x1,5 – 16x2	
602600006	E	Chrome	M22x1,5 – 16x2	
602600009	E	Technoline	M22x1,5 – 16x2	

ACCESSORIES

COMPRESSION CONNECTORS FOR PLASTIC PIPES

602600046



Product Code	Colour	Internal thread	Additional information
602600043.02	Satin	M22x1,5 - 17x2,75	For plastic pipes
602600043.03	Steel	M22x1,5 - 17x2,75	
602600043.04	Gold	M22x1,5 - 17x2,75	
602600043.05	Gold matt	M22x1,5 - 17x2,75	
602600043.10	Antique brass	M22x1,5 - 17x2,75	
602600043.11	Antique copper	M22x1,5 - 17x2,75	
602600045	White	M22x1,5 - 17x2,75	
602600046	Chrome	M22x1,5 - 17x2,75	
602600047	Technoline	M22x1,5 - 17x2,75	

CONNECTORS FOR STEEL 1/2" PIPES

602700003



Product Code	Colour	Internal thread	Additional information
602700002.02	Satin	M22x1,5 x 1/2"	For steel 1/2" pipes
602700002.03	Steel	M22x1,5 x 1/2"	
602700002.04	Gold	M22x1,5 x 1/2"	
602700002.05	Gold matt	M22x1,5 x 1/2"	
602700002.06	White	M22x1,5 x 1/2"	
602700002.10	Antique brass	M22x1,5 x 1/2"	
602700002.11	Antique copper	M22x1,5 x 1/2"	
602700003	Chrome	M22x1,5 x 1/2"	
602700004	Technoline	M22x1,5 x 1/2"	

RADIATOR INSERTS

603000006

Pre-setting is diaphragm regulated.

The insert is compatible with all thermostatic heads with M30x1,5 connection thread and 11,5 mm closing dimension.
Kv(2K) from 0,04 to 0,41,
Kvs 0,92

Product Code		External thread	Product description
603000006	S	1/2	Radiator insert for compact radiators type B
603000007	S	1/2	Radiator insert for compact radiators type A



NIPPLES 1/2"X3/4"

603000004

Product Code		Colour	External thread
603000003	S	Brass	1/2"x3/4"
603000003.02	E	Satin	1/2"x3/4"
603000003.03	E	Steel	1/2"x3/4"
603000003.06	E	White	1/2"x3/4"
603000003.10	E	Antique brass	1/2"x3/4"
603000003.11	E	Antique copper	1/2"x3/4"
603000003.RAL9005	E	RAL 9005	1/2"x3/4"
603000004	E	Chrome	1/2"x3/4"

RAL/SPECIAL

Available finishes:



EUROCONE

S Eurocone
603000005



ACCESSORIES

PIPE REDUCER ADAPTER WHITE 3/4X1/2

S Pipe reducer adapter
white 3/4x1/2
603000071



T-CONNECTION FOR ELECTRIC HEATER

603000051



RAL/SPECIAL

Available finishes:



Product Code		Colour	External thread	Internal thread
603000050	E	White	1/2"	1/2"x1/2"
603000051	E	Chrome	1/2"	1/2"x1/2"
603000052	E	Satin	1/2"	1/2"x1/2"
603000053	E	Steel	1/2"	1/2"x1/2"
603000054	E	Antique copper	1/2"	1/2"x1/2"
603000055	E	Antique brass	1/2"	1/2"x1/2"

CONNECTOR FOR SANITARY FITTINGS

606000006



Available finishes:



Product Code		Colour	External thread	Internal thread
606000006	E	Chrome	1/2"	3/8" x Ø10 mm

COMPRESSION CONNECTOR 1/2" FOR CONNECTION PIPE

Product Code		Colour	External thread
603000068	E	Chrome	1/2"
603000068.02	E	Satin	1/2"
603000068.03	E	Steel	1/2"
603000068.06	E	White	1/2"
603000068.10	E	Antique copper	1/2"
603000068.11	E	Antique brass	1/2"



603000068

RAL/SPECIAL

Available finishes:



COMPRESSION CONNECTOR 1/2" FOR 15 MM COPPER CONNECTION PIPE

Product Code		Colour	External thread
603000069	E	Chrome	1/2"



603000069

CONNECTION PIPE WITH ROSETTE

Connection pipe with rosette is used for connecting valves to a radiator in an aesthetic way.

Set includes: Connection pipe - dimension: 15x1 - 1/2", length 110 mm, rosette ø50 mm.

Product Code		Colour	External thread
603000067	E	Chrome	1/2"
603000067.02	E	Satin	1/2"
603000067.03	E	Steel	1/2"
603000067.06	E	White	1/2"
603000067.10	E	Antique copper	1/2"
603000067.11	E	Antique brass	1/2"



603000067

RAL/SPECIAL

Available finishes:



ACCESSORIES

ROSETTE COVER SET

Rosette cover set is used for concealing the ends of central heating system pipes connected to a radiator. It is suited for bathroom and design radiators which come along with exclusive radiator accessories. It is compatible with 16x2 PEX and 15x1 copper pipes. It may be used as well with standard radiators with side valve connections.

Pipe: length 120 mm, diameter 22x1 mm

Rosette: 40 x 38 x 10 mm Ø 22 mm

Rubber sleeve: length 30 mm, Ø outside 20 mm, Ø inside 15-17 mm

603000038

Available finishes:



Available in RAL Palette colours



Product Code		Colour
603000038	E	White
603000039	E	Chrome

PIPE AND ROSETTE SET

Round rosette with o-ring

603000084

RAL/SPECIAL

Available finishes:



Available in RAL Palette colours



Product Code		Colour	Pipe diameter	Rosette size
603000083	E	White	22	22x45 mm
603000084	E	Chrome	22	22x45 mm

ROSETTE FOR SANITARY FITTINGS



606000007

RAL/SPECIAL

Available finishes:



Product Code		Colour
606000007	E	Material: Stainless steel

WOODEN ROSETTE FOR PRESTIGE VALVES

Product Code		Colour	Rosette size
603000060.dab15	E	Oak	ø15 mm
603000060.dab16	E	Oak	ø16 mm
603000060.mahon15	E	Mahogany	ø15 mm
603000060.mahon16	E	Mahogany	ø16 mm
603000060.wenge15	E	Wenge	ø15 mm
603000060.wenge16	E	Wenge	ø16 mm



603000060.wenge15

Wooden elements available with following dyes:



OAK MAHOGANY WENGE

MINI HANDWHEEL



603000008

Product Code		Colour	Internal thread
603000008	S	White	M30x1,5



PAINTED ASSORTMENT

INSPIRING VARIETY OF COLOURS

Colour variety offers unlimited design possibilities. Following bold choices made by users we provide freedom in adjusting the accessories to the style of a specific interior.

We have our own environmentally friendly painting shop. The paints used by us are safe for the environment and people. We offer a choice of colours classified according to the RAL Classic palette.

We also make decorative coatings. We offer products in stylised antique, hammered and structural finishes with small-grain surface. Using original technologies we manufacture accessories in the industrial Technoline version and in many other variants, depending on the needs of the customer.

We are flexible. We are the only manufacturer in the Polish market who delivers orders for individual sets with non-standard finishes. Unique accessories adapted to exceptional interiors are created in our paint shop.





COLOUR, STRUCTURAL AND DECORATIVE FINISHES AVAILABLE IN THE BASIC OFFER



Products in RAL Palette colours and other structural and decorative finishes available on special order.

Presented colours may differ slightly from the actual colours. In order to precisely select the colours it is necessary to use the original colours chart available from the sales representatives.



How to order painted products?

In order to place an order for painted products:

- the catalogue numbers with the RAL suffix should be supplemented with the chosen number from the RAL palette (e.g.: 6017 00191.RAL9010),
- the catalogue numbers with the S suffix should be supplemented with the chosen number of structural paint (e.g.: 6017 00191.S0002).



PAINTED ASSORTMENT

THERMOSTATIC HEADS



Thermostatic head
600200014



Thermostatic head Brillant Mini
601100039

Product Code		nazwa produktu	Colour	Connection thread	Additional information
600200014	E	Thermostatic head Brillant	RAL 9005	M30x1.5	SH
601100039	E	Thermostatic head Brillant Mini	RAL 9005	M30x1.5	SH
601100047R....	E	Thermostatic head Brillant Mini	RAL	M30x1.5	SH
601100047S....	E	Thermostatic head Brillant Mini	Special	M30x1.5	SH
601100051R....	E	Thermostatic head Brillant Mini	RAL	RA-N	DZ
601100051S....	E	Thermostatic head Brillant Mini	Special	RA-N	DZ
601100051R9005	E	Thermostatic head Brillant Mini	RAL9005	RA-N	DZ

Thermostatic set Elegant Mini side-angle left RAL 9005



EXCLUSIVE SETS

Product Code		Colour	Radiator connection	Pattern	Left side	Right side	Integrated connector
601700191.RAL	E	RAL	1/2"	angle			Cu
601700194.RAL	E	RAL	1/2"	angle			Pex
601700197.RAL	E	RAL	1/2"	angle			Steel 1/2"
601700191.S	E	Special	1/2"	angle			Cu
601700194.S	E	Special	1/2"	angle			Pex
601700197.S	E	Special	1/2"	angle			Steel 1/2"
601700191.RAL9005	E	RAL 9005	1/2"	angle			Cu
601700194.RAL9005	E	RAL 9005	1/2"	angle			Cu
601700197.RAL9005	E	RAL 9005	1/2"	angle			Cu
601700193.RAL	E	RAL	1/2"	side-angle left	↑	↓	Cu
601700196.RAL	E	RAL	1/2"	side-angle left	↑	↓	Pex
601700199.RAL	E	RAL	1/2"	side-angle left	↑	↓	Steel 1/2"
601700193.S	E	Special	1/2"	side-angle left	↑	↓	Cu
601700196.S	E	Special	1/2"	side-angle left	↑	↓	Pex
601700199.S	E	Special	1/2"	side-angle left	↑	↓	Steel 1/2"
601700193.RAL9005	E	RAL 9005	1/2"	side-angle left	↑	↓	Steel 1/2"
601700196.RAL9005	E	RAL 9005	1/2"	side-angle left	↑	↓	Steel 1/2"
601700199.RAL9005	E	RAL 9005	1/2"	side-angle left	↑	↓	Steel 1/2"
601700192.RAL	E	RAL	1/2"	side-angle right	↓	↑	Cu
601700195.RAL	E	RAL	1/2"	side-angle right	↓	↑	Pex
601700198.RAL	E	RAL	1/2"	side-angle right	↓	↑	Steel 1/2"
601700192.S	E	Special	1/2"	side-angle right	↓	↑	Cu
601700195.S	E	Special	1/2"	side-angle right	↓	↑	Pex
601700198.S	E	Special	1/2"	side-angle right	↓	↑	Steel 1/2"
601700192.RAL9005	E	RAL 9005	1/2"	side-angle right	↓	↑	Pex
601700195.RAL9005	E	RAL 9005	1/2"	side-angle right	↓	↑	Pex
601700198.RAL9005	E	RAL 9005	1/2"	side-angle right	↓	↑	Pex

PAINTED ASSORTMENT

LUX SETS

Product Code		Colour	Radiator connection	Pattern	Left side	Right side	Integrated connector
603700025	E	RAL 9005	1/2"	angle			Cu
603700055	E	RAL 9005	1/2"	angle			Pex
603700085	E	RAL 9005	1/2"	angle			Steel 1/2"
603700028.RAL	E	RAL	1/2"	angle			Cu
603700029.RAL	E	RAL	1/2"	angle			Pex
603700030.RAL	E	RAL	1/2"	angle			Steel 1/2"
603700028.S	E	Special	1/2"	angle			Cu
603700029.S	E	Special	1/2"	angle			Pex
603700030.S	E	Special	1/2"	angle			Steel 1/2"
603700027	E	RAL 9005	1/2"	side-angle left	↑	↓	Cu
603700057	E	RAL 9005	1/2"	side-angle left	↑	↓	Pex
603700087	E	RAL 9005	1/2"	side-angle left	↑	↓	Steel 1/2"
603700088.RAL	E	RAL	1/2"	side-angle left	↑	↓	Cu
603700089.RAL	E	RAL	1/2"	side-angle left	↑	↓	Pex
603700090.RAL	E	RAL	1/2"	side-angle left	↑	↓	Steel 1/2"
603700088.S	E	Special	1/2"	side-angle left	↑	↓	Cu
603700089.S	E	Special	1/2"	side-angle left	↑	↓	Pex
603700090.S	E	Special	1/2"	side-angle left	↑	↓	Steel 1/2"
603700026	E	RAL 9005	1/2"	side-angle right	↓	↑	Cu
603700056	E	RAL 9005	1/2"	side-angle right	↓	↑	Pex
603700086	E	RAL 9005	1/2"	side-angle right	↓	↑	Steel 1/2"
603700058.RAL	E	RAL	1/2"	side-angle right	↓	↑	Cu
603700059.RAL	E	RAL	1/2"	side-angle right	↓	↑	Pex
603700060.RAL	E	RAL	1/2"	side-angle right	↓	↑	Steel 1/2"
603700058.S	E	Special	1/2"	side-angle right	↓	↑	Cu
603700059.S	E	Special	1/2"	side-angle right	↓	↑	Pex
603700060.S	E	Special	1/2"	side-angle right	↓	↑	Steel 1/2"

LUX MANUAL SETS

Product Code		Colour	Radiator connection	Pattern	Left side	Right side	Integrated connector
606300001.RAL	E	RAL	1/2"	angle			Cu
606300002.RAL	E	RAL	1/2"	angle			Pex
606300003.RAL	E	RAL	1/2"	angle			Steel 1/2"
606300001.RAL9005	E	RAL9005	1/2"	angle			Cu
606300002.RAL9005	E	RAL9005	1/2"	angle			Pex
606300003.RAL9005	E	RAL9005	1/2"	angle			Steel 1/2"
606300001.S	E	Special	1/2"	angle			Cu
606300002.S	E	Special	1/2"	angle			Pex
606300003.S	E	Special	1/2"	angle			Steel 1/2"
606300007.RAL	E	RAL	1/2"	side-angle left	↑	↓	Cu
606300008.RAL	E	RAL	1/2"	side-angle left	↑	↓	Pex
606300009.RAL	E	RAL	1/2"	side-angle left	↑	↓	Steel 1/2"
606300007.RAL9005	E	RAL9005	1/2"	side-angle left	↑	↓	Cu
606300008.RAL9005	E	RAL9005	1/2"	side-angle left	↑	↓	Pex
606300009.RAL9005	E	RAL9005	1/2"	side-angle left	↑	↓	Steel 1/2"
606300007.S	E	Special	1/2"	side-angle left	↑	↓	Cu
606300008.S	E	Special	1/2"	side-angle left	↑	↓	Pex
606300009.S	E	Special	1/2"	side-angle left	↑	↓	Steel 1/2"
606300004.RAL	E	RAL	1/2"	side-angle right	↓	↑	Cu
606300005.RAL	E	RAL	1/2"	side-angle right	↓	↑	Pex
606300006.RAL	E	RAL	1/2"	side-angle right	↓	↑	Steel 1/2"
606300004.RAL9005	E	RAL9005	1/2"	side-angle right	↓	↑	Cu
606300005.RAL9005	E	RAL9005	1/2"	side-angle right	↓	↑	Pex
606300006.RAL9005	E	RAL9005	1/2"	side-angle right	↓	↑	Steel 1/2"
606300004.S	E	Special	1/2"	side-angle right	↓	↑	Cu
606300005.S	E	Special	1/2"	side-angle right	↓	↑	Pex
606300006.S	E	Special	1/2"	side-angle right	↓	↑	Steel 1/2"

PAINTED ASSORTMENT

DUO-PLEX CONNECTION BLOCKS (THERMOSTATIC HEAD ON THE RETURN PIPE)

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Nipples	Additional information
602100056.RAL	E	RAL	M22x1,5	3/4"	angle left	↓	↑	yes	
602100058.RAL	E	RAL	M22x1,5	3/4"	angle left	↓	↑	no	
602100102	E	RAL 9005	M22x1,5	3/4"	angle left	↓	↑	yes	
602100056.S	E	Special	M22x1,5	3/4"	angle left	↓	↑	yes	
602100058.S	E	Special	M22x1,5	3/4"	angle left	↓	↑	no	
602100055.RAL	E	RAL	M22x1,5	3/4"	angle right	↑	↓	yes	
602100057.RAL	E	RAL	M22x1,5	3/4"	angle right	↑	↓	no	
602100101	E	RAL 9005	M22x1,5	3/4"	angle right	↑	↓	yes	Pipe connectors for the valve need to be ordered separately, listed on page: 131
602100055.S	E	Special	M22x1,5	3/4"	angle right	↑	↓	yes	
602100057.S	E	Special	M22x1,5	3/4"	angle right	↑	↓	no	
602100059.RAL	E	RAL	M22x1,5	3/4"	straight			yes	
602100060.RAL	E	RAL	M22x1,5	3/4"	straight			no	
602100103	E	RAL 9005	M22x1,5	3/4"	straight			yes	
602100059.S	E	Special	M22x1,5	3/4"	straight			yes	
602100060.S	E	Special	M22x1,5	3/4"	straight			no	

DUO-PLEX CONNECTION BLOCKS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Nipples	Additional information
612100056.RAL	E	RAL	M22x1,5	3/4"	angle left	↑	↓	yes	
612100058.RAL	E	RAL	M22x1,5	3/4"	angle left	↑	↓	no	
612100056.S	E	Special	M22x1,5	3/4"	angle left	↑	↓	yes	
612100058.S	E	Special	M22x1,5	3/4"	angle left	↑	↓	no	
612100102	E	RAL 9005	M22x1,5	3/4"	angle left	↑	↓	yes	
612100055.RAL	E	RAL	M22x1,5	3/4"	angle right	↓	↑	yes	
612100057.RAL	E	RAL	M22x1,5	3/4"	angle right	↓	↑	no	
612100055.S	E	Special	M22x1,5	3/4"	angle right	↓	↑	yes	Pipe connectors for the valve need to be ordered separately, listed on page: 131
612100057.S	E	Special	M22x1,5	3/4"	angle right	↓	↑	no	
612100101	E	RAL 9005	M22x1,5	3/4"	angle right	↓	↑	yes	
612100059.RAL	E	RAL	M22x1,5	3/4"	straight			yes	
612100060.RAL	E	RAL	M22x1,5	3/4"	straight			no	
612100059.S	E	Special	M22x1,5	3/4"	straight			yes	
612100060.S	E	Special	M22x1,5	3/4"	straight			no	
612100103	E	RAL 9005	M22x1,5	3/4"	straight			yes	

DUO-PLEX CONNECTION BLOCKS 3/4" x 3/4"

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602100402.RAL	E	RAL	3/4"	3/4"	angle left	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 131
602100402.RAL9005	E	RAL 9005	3/4"	3/4"	angle left	↑	↓	
602100402.S	E	Special	3/4"	3/4"	angle left	↑	↓	
602100401.RAL	E	RAL	3/4"	3/4"	angle right	↓	↑	
602100401.RAL9005	E	RAL 9005	3/4"	3/4"	angle right	↓	↑	
602100401.S	E	Special	3/4"	3/4"	angle right	↓	↑	
602100403.RAL	E	RAL	3/4"	3/4"	straight			
602100403.RAL9005	E	RAL 9005	3/4"	3/4"	straight			
602100403.S	E	Special	3/4"	3/4"	straight			

DUO-PLEX MINI CONNECTION BLOCKS (THERMOSTATIC HEAD ON THE SUPPLY PIPE)

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Nipples	Additional information
606100052.RAL	E	RAL	M22x1,5	3/4"	angle left	↑	↓	yes	Pipe connectors for the valve need to be ordered separately, listed on page: 131
606100052.RAL9005	E	RAL 9005	M22x1,5	3/4"	angle left	↑	↓	yes	
606100052.S	E	Special	M22x1,5	3/4"	angle left	↑	↓	yes	
606100054.RAL	E	RAL	M22x1,5	3/4"	angle right	↓	↑	yes	
606100054.RAL9005	E	RAL 9005	M22x1,5	3/4"	angle right	↓	↑	yes	
606100054.S	E	Special	M22x1,5	3/4"	angle right	↓	↑	yes	
606100056.RAL	E	RAL	M22x1,5	3/4"	straight			yes	
606100056.RAL9005	E	RAL 9005	M22x1,5	3/4"	straight			yes	
606100056.S	E	Special	M22x1,5	3/4"	straight			yes	

T-CONNECTION BLOCKS TYPE 40

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602100061.RAL	E	RAL	M22x1,5	1/2"	angle right	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 131
602100061.RAL9005	E	RAL 9005	M22x1,5	1/2"	angle right	↑	↓	
602100061.S	E	Special	M22x1,5	1/2"	angle right	↑	↓	
602100062.RAL	E	RAL	M22x1,5	1/2"	angle left	↓	↑	
602100062.RAL9005	E	RAL 9005	M22x1,5	1/2"	angle left	↓	↑	
602100062.S	E	Special	M22x1,5	1/2"	angle left	↓	↑	
602100073.RAL	E	RAL	M22x1,5	1/2"	straight			
602100073.RAL9005	E	RAL 9005	M22x1,5	1/2"	straight			
602100073.S	E	Special	M22x1,5	1/2"	straight			

PAINTED ASSORTMENT

T-CONNECTION BLOCKS TYPE 50

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
602400051.RAL		RAL	M22x1,5	1/2"	angle right	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 131
602400051.RAL9005		RAL 9005	M22x1,5	1/2"	angle right	↑	↓	
602400051.S		Special	M22x1,5	1/2"	angle right	↑	↓	
602400052.RAL		RAL	M22x1,5	1/2"	angle left	↓	↑	
602400052.RAL9005		RAL 9005	M22x1,5	1/2"	angle left	↓	↑	
602400052.S		Special	M22x1,5	1/2"	angle left	↓	↑	

EXCLUSIVE H-VALVES

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Additional information
601000017.RAL		RAL	M22x1,5	3/4"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 131
601000017.RAL9005		RAL 9005	M22x1,5	3/4"	angle	
601000017.S		SPECIAL	M22x1,5	3/4"	angle	
601000018.RAL		RAL	M22x1,5	3/4"	angle	
601000018.RAL9005		RAL 9005	M22x1,5	3/4"	angle	
601000018.S		SPECIAL	M22x1,5	3/4"	angle	

EXCLUSIVE H-VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Additional information
601000103*		RAL 9005	M22x1,5	3/4"	angle	yes	Pipe connectors for the valve need to be ordered separately, listed on page: 131
601000044.RAL		RAL	M22x1,5	3/4"	angle	yes	
601000044.S		Special	M22x1,5	3/4"	angle	yes	
601000104*		RAL 9005	M22x1,5	3/4"	straight	yes	
601000045.RAL		RAL	M22x1,5	3/4"	straight	yes	
601000045.S		Special	M22x1,5	3/4"	straight	yes	

* Set with thermostatic head Brillant

ELEGANT MANUAL VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200001.RAL		RAL	M22x1,5	1/2"	angle	Cu
604200002.RAL		RAL	M22x1,5	1/2"	angle	Pex
604200101.RAL		RAL	M22x1,5	1/2"	angle	Steel 1/2"
604200001.S		Special	M22x1,5	1/2"	angle	Cu
604200002.S		Special	M22x1,5	1/2"	angle	Pex
604200101.S		Special	M22x1,5	1/2"	angle	Steel 1/2"
604200001.RAL9005		RAL9005	M22x1,5	1/2"	angle	Cu
604200002.RAL9005		RAL9005	M22x1,5	1/2"	angle	Pex
604200101.RAL9005		RAL9005	M22x1,5	1/2"	angle	Steel 1/2"
604200021.RAL		RAL	M22x1,5	1/2"	straight	Cu
604200022.RAL		RAL	M22x1,5	1/2"	straight	Pex
604200111.RAL		RAL	M22x1,5	1/2"	straight	Steel 1/2"
604200021.S		Special	M22x1,5	1/2"	straight	Cu
604200022.S		Special	M22x1,5	1/2"	straight	Pex
604200111.S		Special	M22x1,5	1/2"	straight	Steel 1/2"
604200021.RAL9005		RAL9005	M22x1,5	1/2"	straight	Cu
604200022.RAL9005		RAL9005	M22x1,5	1/2"	straight	Pex
604200111.RAL9005		RAL9005	M22x1,5	1/2"	straight	Steel 1/2"

ELEGANT THERMOSTATIC VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604200011.RAL		RAL	M22x1,5	1/2"	angle	Cu
604200012.RAL		RAL	M22x1,5	1/2"	angle	Pex
604200011.RAL9005		RAL9005	M22x1,5	1/2"	angle	Cu
604200012.RAL9005		RAL9005	M22x1,5	1/2"	angle	Pex
604200011.S		Special	M22x1,5	1/2"	angle	Cu
604200012.S		Special	M22x1,5	1/2"	angle	Pex
604200121.RAL		RAL	M22x1,5	1/2"	angle	Steel 1/2"
604200121.RAL9005		RAL9005	M22x1,5	1/2"	angle	Steel 1/2"
604200121.S		Special	M22x1,5	1/2"	angle	Steel 1/2"
604200031.RAL		RAL	M22x1,5	1/2"	straight	Cu
604200032.RAL		RAL	M22x1,5	1/2"	straight	Pex
604200131.RAL		RAL	M22x1,5	1/2"	straight	Steel 1/2"
604200031.RAL9005		RAL9005	M22x1,5	1/2"	straight	Cu
604200032.RAL9005		RAL9005	M22x1,5	1/2"	straight	Pex
604200131.RAL9005		RAL9005	M22x1,5	1/2"	straight	Steel 1/2"
604200031.S		Special	M22x1,5	1/2"	straight	Cu
604200032.S		Special	M22x1,5	1/2"	straight	Pex
604200131.S		Special	M22x1,5	1/2"	straight	Steel 1/2"

PAINTED ASSORTMENT

ELEGANT MINI THERMOSTATIC VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side
603400041.RAL	E	RAL	M22x1,5	1/2"	angle		
603400041.S	E	Special	M22x1,5	1/2"	angle		
603400041.RAL9005	E	RAL9005	M22x1,5	1/2"	angle		
603400043.RAL	E	RAL	M22x1,5	1/2"	straight		
603400043.S	E	Special	M22x1,5	1/2"	straight		
603400043.RAL9005	E	RAL9005	M22x1,5	1/2"	straight		
603400045.RAL	E	RAL	M22x1,5	1/2"	side-angle left	↑	↓
603400045.S	E	Special	M22x1,5	1/2"	side-angle left	↑	↓
603400045.RAL9005	E	RAL9005	M22x1,5	1/2"	side-angle left	↑	↓
603400071.RAL	E	RAL	M22x1,5	1/2"	side-angle right	↓	↑
603400071.S	E	Special	M22x1,5	1/2"	side-angle right	↓	↑
603400071.RAL9005	E	RAL9005	M22x1,5	1/2"	side-angle right	↓	↑

ELEGANT STYLE MANUAL VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector
604800049.RAL	E	RAL with a wooden top	M22x1,5	1/2"	angle	Cu
604800050.RAL	E	RAL with a wooden top	M22x1,5	1/2"	angle	Pex
604800051.RAL	E	RAL with a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800052.RAL	E	RAL without a wooden top	M22x1,5	1/2"	angle	Cu
604800053.RAL	E	RAL without a wooden top	M22x1,5	1/2"	angle	Pex
604800054.RAL	E	RAL without a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800049.S	E	Special with a wooden top	M22x1,5	1/2"	angle	Cu
604800050.S	E	Special with a wooden top	M22x1,5	1/2"	angle	Pex
604800051.S	E	Special with a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800052.S	E	Special without a wooden top	M22x1,5	1/2"	angle	Cu
604800053.S	E	Special without a wooden top	M22x1,5	1/2"	angle	Pex
604800054.S	E	Special without a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800049.RAL9005	E	RAL 9005 with a wooden top	M22x1,5	1/2"	angle	Cu
604800050.RAL9005	E	RAL 9005 with a wooden top	M22x1,5	1/2"	angle	Pex
604800051.RAL9005	E	RAL 9005 with a wooden top	M22x1,5	1/2"	angle	Steel 1/2"
604800052.RAL9005	E	Ral 9005 without a wooden top	M22x1,5	1/2"	angle	Cu
604800053.RAL9005	E	Ral 9005 without a wooden top	M22x1,5	1/2"	angle	Pex
604800054.RAL9005	E	Ral 9005 without a wooden top	M22x1,5	1/2"	angle	Steel 1/2"

ELEGANT PRESTIGE MANUAL VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Type of wooden handwheel
604500055.RAL	E	RAL	M22x1,5	1/2"	angle	Cu	conical
604500056.RAL	E	RAL	M22x1,5	1/2"	angle	Pex	conical
604500057.RAL	E	RAL	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500058.RAL	E	RAL	M22x1,5	1/2"	angle	Cu	cylindrical thin
604500059.RAL	E	RAL	M22x1,5	1/2"	angle	Pex	cylindrical thin
604500060.RAL	E	RAL	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thin
604500061.RAL	E	RAL	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500062.RAL	E	RAL	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500063.RAL	E	RAL	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500055.S	E	Special	M22x1,5	1/2"	angle	Cu	conical
604500056.S	E	Special	M22x1,5	1/2"	angle	Pex	conical
604500057.S	E	Special	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500058.S	E	Special	M22x1,5	1/2"	angle	Cu	cylindrical thin
604500059.S	E	Special	M22x1,5	1/2"	angle	Pex	cylindrical thin
604500060.S	E	Special	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thin
604500061.S	E	Special	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500062.S	E	Special	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500063.S	E	Special	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500055.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Cu	conical
604500056.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Pex	conical
604500057.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500058.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Cu	cylindrical thin
604500059.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Pex	cylindrical thin
604500060.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thin
604500061.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500062.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500063.RAL9005	E	RAL9005	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick

PAINTED ASSORTMENT

ELEGANT PRESTIGE THERMOSTATIC VALVE SETS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Connector	Type of wooden handwheel
604500127.RAL		RAL	M22x1,5	1/2"	angle	Cu	conical
604500128.RAL		RAL	M22x1,5	1/2"	angle	Pex	conical
604500129.RAL		RAL	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500130.RAL		RAL	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500131.RAL		RAL	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500132.RAL		RAL	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500127.S		Special	M22x1,5	1/2"	angle	Cu	conical
604500128.S		Special	M22x1,5	1/2"	angle	Pex	conical
604500129.S		Special	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500130.S		Special	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500131.S		Special	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500132.S		Special	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick
604500127.RAL9005		RAL9005	M22x1,5	1/2"	angle	Cu	conical
604500128.RAL9005		RAL9005	M22x1,5	1/2"	angle	Pex	conical
604500129.RAL9005		RAL9005	M22x1,5	1/2"	angle	Steel 1/2"	conical
604500130.RAL9005		RAL9005	M22x1,5	1/2"	angle	Cu	cylindrical thick
604500131.RAL9005		RAL9005	M22x1,5	1/2"	angle	Pex	cylindrical thick
604500132.RAL9005		RAL9005	M22x1,5	1/2"	angle	Steel 1/2"	cylindrical thick

SQUARE THERMOSTATIC VALVE SETS

Product Code		Colour	Radiator connection	Pattern	Integrated connector
605800013.RAL		RAL	1/2"	angle	Cu
605800033.RAL		RAL	1/2"	angle	Pex
605800053.RAL		RAL	1/2"	angle	Steel 1/2"
605800013.S		Special	1/2"	angle	Cu
605800033.S		Special	1/2"	angle	Pex
605800053.S		Special	1/2"	angle	Steel 1/2"
605800013.RAL9005		RAL9005	1/2"	angle	Cu
605800033.RAL9005		RAL9005	1/2"	angle	Pex
605800053.RAL9005		RAL9005	1/2"	angle	Steel 1/2"
605800014.RAL		RAL	1/2"	side-angle	Cu
605800034.RAL		RAL	1/2"	side-angle	Pex
605800054.RAL		RAL	1/2"	side-angle	Steel 1/2"
605800014.S		Special	1/2"	side-angle	Cu
605800034.S		Special	1/2"	side-angle	Pex
605800054.S		Special	1/2"	side-angle	Steel 1/2"
605800014.RAL9005		RAL9005	1/2"	side-angle	Cu
605800034.RAL9005		RAL9005	1/2"	side-angle	Pex
605800054.RAL9005		RAL9005	1/2"	side-angle	Steel 1/2"

SQUARE MANUAL VALVE SETS

Product Code		Colour	Radiator connection	Pattern	Integrated connector
605800061.RAL		RAL	1/2"	angle	Cu
605800061.RAL9005		RAL9005	1/2"	angle	Cu
605800061.S		SPECIAL	1/2"	angle	Cu
605800067.RAL		RAL	1/2"	side-angle	Cu
605800067.RAL9005		RAL9005	1/2"	side-angle	Cu
605800067.S		SPECIAL	1/2"	side-angle	Cu
605800081.RAL		RAL	1/2"	angle	Pex
605800081.RAL9005		RAL9005	1/2"	angle	Pex
605800081.S		SPECIAL	1/2"	angle	Pex
605800087.RAL		RAL	1/2"	side-angle	Pex
605800087.RAL9005		RAL9005	1/2"	side-angle	Pex
605800087.S		SPECIAL	1/2"	side-angle	Pex
605800101.RAL		RAL	1/2"	angle	Steel 1/2"
605800101.RAL9005		RAL9005	1/2"	angle	Steel 1/2"
605800101.S		SPECIAL	1/2"	angle	Steel 1/2"
605800107.RAL		RAL	1/2"	side-angle	Steel 1/2"
605800107.RAL9005		RAL9005	1/2"	side-angle	Steel 1/2"
605800107.S		SPECIAL	1/2"	side-angle	Steel 1/2"

SQUARE THERMOSTATIC DUO-PLEX VALVE SETS

Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
605900097.RAL		RAL	1/2"	angle right	Cu	↑	↓
605900097.RAL9005		RAL9005	1/2"	angle right	Cu	↑	↓
605900097.S.		Special	1/2"	angle right	Cu	↑	↓
605900098.RAL		RAL	1/2"	angle right	Pex	↑	↓
605900098.RAL9005		RAL9005	1/2"	angle right	Pex	↑	↓
605900098.S.		Special	1/2"	angle right	Pex	↑	↓
605900099.RAL		RAL	1/2"	angle right	Steel 1/2"	↑	↓
605900099.RAL9005		RAL9005	1/2"	angle right	Steel 1/2"	↑	↓
605900099.S.		Special	1/2"	angle right	Steel 1/2"	↑	↓
605900100.RAL		RAL	1/2"	angle left	Cu	↓	↑
605900100.RAL9005		RAL9005	1/2"	angle left	Cu	↓	↑
605900100.S.		Special	1/2"	angle left	Cu	↓	↑
605900101.RAL		RAL	1/2"	angle left	Pex	↓	↑
605900101.RAL9005		RAL9005	1/2"	angle left	Pex	↓	↑
605900101.S.		Special	1/2"	angle left	Pex	↓	↑
605900102.RAL		RAL	1/2"	angle left	Steel 1/2"	↓	↑
605900102.RAL9005		RAL9005	1/2"	angle left	Steel 1/2"	↓	↑
605900102.S.		Special	1/2"	angle left	Steel 1/2"	↓	↑

PAINTED ASSORTMENT

SQUARE MANUAL DUO-PLEX VALVE SETS

Product Code		Colour	Radiator connection	Pattern	Integrated connector	Left side	Right side
605900111.RAL	E	RAL	1/2"	angle right	Cu	↑	↓
605900111.RAL9005	E	RAL9005	1/2"	angle right	Cu	↑	↓
605900111.S	E	Special	1/2"	angle right	Cu	↑	↓
605900112.RAL	E	RAL	1/2"	angle right	Pex	↑	↓
605900112.RAL9005	E	RAL9005	1/2"	angle right	Pex	↑	↓
605900112.S	E	Special	1/2"	angle right	Pex	↑	↓
605900113.RAL	E	RAL	1/2"	angle right	Steel 1/2"	↑	↓
605900113.RAL9005	E	RAL9005	1/2"	angle right	Steel 1/2"	↑	↓
605900113.S	E	Special	1/2"	angle right	Steel 1/2"	↑	↓
605900114.RAL	E	RAL	1/2"	angle left	Cu	↓	↑
605900114.RAL9005	E	RAL9005	1/2"	angle left	Cu	↓	↑
605900114.S	E	Special	1/2"	angle left	Cu	↓	↑
605900115.RAL	E	RAL	1/2"	angle left	Pex	↓	↑
605900115.RAL9005	E	RAL9005	1/2"	angle left	Pex	↓	↑
605900115.S	E	Special	1/2"	angle left	Pex	↓	↑
605900116.RAL	E	RAL	1/2"	angle left	Steel 1/2"	↓	↑
605900116.RAL9005	E	RAL9005	1/2"	angle left	Steel 1/2"	↓	↑
605900116.S	E	Special	1/2"	angle left	Steel 1/2"	↓	↑

THERMOSTATIC T-CONNECTIONS FOR ELECTRIC HEATERS

Product Code		Colour	Pipe connection	Radiator connection	Heater connection	Pattern	Connector	Left side	Right side
604900040	E	RAL9005	M22x1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900041	E	RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900042	E	RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900046.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900047.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900048.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900046.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900047.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900048.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900037	E	RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900038	E	RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900039	E	RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑
604900043.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900044.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900045.RAL	E	RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑
604900043.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900044.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900045.S	E	Special	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑

MANUAL T-CONNECTIONS FOR ELECTRIC HEATERS

Product Code		Colour	Pipe connection	Radiator connection	Heater connection	Pattern	Connector	Left side	Right side
604900090.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900091.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900092.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900096		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900097		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900098		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900090.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↑	
604900091.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↑	
604900092.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↑	
604900087.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900088.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900089.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑
604900093		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900094		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900095		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑
604900087.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↑
604900088.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↑
604900089.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↑

LOCKSHIELD T-CONNECTIONS FOR ELECTRIC HEATERS

Product Code		Colour	Pipe connection	Radiator connection	Heater connection	Pattern	Connector	Left side	Right side
605000040		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↓	
605000041		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↓	
605000042		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↓	
605000046.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↓	
605000047.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↓	
605000048.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↓	
605000046.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Cu	↓	
605000047.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Pex	↓	
605000048.S		Special	M22 x 1,5	1/2"	1/2"	side-angle left	Steel 1/2"	↓	
605000037		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↓
605000038		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↓
605000039		RAL9005	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↓
605000043.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↓
605000044.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↓
605000045.RAL		RAL	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↓
605000043.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Cu		↓
605000044.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Pex		↓
605000045.S		Special	M22 x 1,5	1/2"	1/2"	side-angle right	Steel 1/2"		↓

PAINTED ASSORTMENT

DUO-PLEX MANUAL CONNECTION BLOCKS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Nipples	Left side	Right side	Additional information
606300103.RAL		RAL	M22x1,5	3/4"	angle left	yes	↓	↑	
606300104.RAL		RAL	M22x1,5	3/4"	angle left	no	↓	↑	
606300103.RAL9005		RAL9005	M22x1,5	3/4"	angle left	yes	↓	↑	
606300104.RAL9005		RAL9005	M22x1,5	3/4"	angle left	no	↓	↑	
606300103.S		Special	M22x1,5	3/4"	angle left	yes	↓	↑	
606300104.S		Special	M22x1,5	3/4"	angle left	no	↓	↑	
606300101.RAL		RAL	M22x1,5	3/4"	angle right	yes	↑	↓	
606300102.RAL		RAL	M22x1,5	3/4"	angle right	no	↑	↓	
606300101.RAL9005		RAL9005	M22x1,5	3/4"	angle right	yes	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 131
606300102.RAL9005		RAL9005	M22x1,5	3/4"	angle right	no	↑	↓	
606300101.S		Special	M22x1,5	3/4"	angle right	yes	↑	↓	
606300102.S		Special	M22x1,5	3/4"	angle right	no	↑	↓	
606300105.RAL		RAL	M22x1,5	3/4"	straight	yes			
606300106.RAL		RAL	M22x1,5	3/4"	straight	no			
606300105.RAL9005		RAL9005	M22x1,5	3/4"	straight	yes			
606300106.RAL9005		RAL9005	M22x1,5	3/4"	straight	no			
606300105.S		Special	M22x1,5	3/4"	straight	yes			
606300106.S		Special	M22x1,5	3/4"	straight	no			

MANUAL T-CONNECTION BLOCKS

Product Code		Colour	Pipe connection	Radiator connection	Pattern	Left side	Right side	Additional information
606300202.RAL		RAL	M22x1,5	1/2"	angle left	↓	↑	
606300202.RAL9005		RAL9005	M22x1,5	1/2"	angle left	↓	↑	
606300202.S		Special	M22x1,5	1/2"	angle left	↓	↑	
606300201.RAL		RAL	M22x1,5	1/2"	angle right	↑	↓	
606300201.RAL9005		RAL9005	M22x1,5	1/2"	angle right	↑	↓	Pipe connectors for the valve need to be ordered separately, listed on page: 131
606300201.S		Special	M22x1,5	1/2"	angle right	↑	↓	
606300203.RAL		RAL	M22x1,5	1/2"	straight			
606300203.RAL9005		RAL9005	M22x1,5	1/2"	straight			
606300203.S		Special	M22x1,5	1/2"	straight			

CONNECTORS

Product Code		Colour	Internal thread	Connector
602500002.RAL	E	RAL	M22x1,5 x 15 mm	For copper pipes
602500002.RAL9005	E	RAL9005	M22x1,5 x 15 mm	For copper pipes
602500002.S	E	Special	M22x1,5 x 15 mm	For copper pipes
602600003.RAL	E	RAL	M22x1,5 – 16x2	For plastic pipes
602600003.RAL9005	E	RAL9005	M22x1,5 – 16x2	For plastic pipes
602600003.S	E	Special	M22x1,5 – 16x2	For plastic pipes
602700002.RAL	E	RAL	M22x1,5 x 1/2"	For steel 1/2" pipes
602700002.RAL9005	E	RAL9005	M22x1,5 x 1/2"	For steel 1/2" pipes
602700002.S	E	Special	M22x1,5 x 1/2"	For steel 1/2" pipes

PIPE AND ROSETTE SET

Product Code	Colour	Pipe diameter	Rosette size
603000083.RAL	RAL	22	22x45 mm
603000083.S	Special	22	22x45 mm
603000083.RAL9005	RAL9005	22	22x45 mm

Thermostatic head Brillant Mini



PAINTED ASSORTMENT

TECHNOLINE ASSORTMENT



Exclusive H-valve set for V-type
50 mm radiator, angle

601000072

Set includes: Exclusive H-valve, 2 pcs. Nipple
1/2x3/4, Thermostatic head.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
601000072	Technoline	M22x1,5	3/4"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
601000073	Technoline	M22x1,5	3/4"	straight	



Duo-plex Mini set with Mini head , angle left

606100088

Set includes: DUO-PLEX valve, 2 pcs. Nipple
1/2x3/4, Thermostatic head.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
606100088	Technoline	M22x1,5	3/4"	angle left	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
606100092	Technoline	M22x1,5	3/4"	straight	
606100090	Technoline	M22x1,5	3/4"	angle right	



Elegant Mini Thermostatic Set, angle
603400053

Set includes: Thermostatic head, thermostatic valve, lockshield valve.

Product Code	Colour	Pipe connection	Radiator connection	Pattern	Additional information
603400053	Technoline	M22x1,5	1/2"	angle	Pipe connectors for the valve need to be ordered separately, listed on page: 104-106
603400054	Technoline	M22x1,5	1/2"	straight	
603400055	Technoline	M22x1,5	1/2"	side-angle (Supply on the left)	
603400078	Technoline	M22x1,5	1/2"	side-angle (Supply on the right)	



Thermostatic head Brillant Mini
601100026

Product Code	Product name	Colour	Temperature regulation range	Connection thread	Closing dimension
601100026	Thermostatic head Brillant	Technoline	8 – 30	M30x1.5	11,5 mm

CHARITABLE ACTIVITY

In accordance with our philosophy we multiply the success of the business by sharing it with others. As part of its corporate social responsibility strategy Schlosser pursues charitable activity supporting, in particular, initiatives in the area of education, culture and sport for children and young people.

We support the following organisations:

FUNDACJA ROZWOJU KOMPETENCJI SPOŁECZNYCH I EDUKACJI TRAMPOLINA
FUNDACJA POZYTYWNEJ EDUKACJI
STOWARZYSZENIE SOS WIOSKI DZIECIĘCE
TOWARZYSTWO OPIEKI NAD OCIEMNIAŁYMI
FUNDACJA CHCEmisie
KINDERKI KINDERGARTEN
PKN UNICEF POLSKI KOMITET NARODOWY
STOWARZYSZENIE MONAR
PW DAR SERCA
STOWARZYSZENIE ALTER EGO
FUNDACJA DZIECIOM ZDAŹYĆ Z POMOCĄ
FUNDACJA POMOCY DZIECIOM W WYPADKACH KOMUNIKACYJNYCH „WRÓĆ”
PRZEDSZKOLE NR 35 W ZABRZU
FUNDACJA SŁONECZKO
SZKOŁA PODSTAWOWA STOWARZYSZENIA PRZYJACIÓŁ SZKÓŁ KATOLICKICH
STOWARZYSZENIE POMOCY MŁODZIEŻY ANASTASIS
FUNDACJA WSPÓLNA NADZIEJA
ORZESZEK SPECIAL KINDERGARTEN
YOUTH REHABILITATION CENTRE IN KIEKRZ
AMUN WYDAWNICTWO ARTYSTÓW MALUJĄCYCH USTAMI I NOGAMI
FUNDACJA WSPÓLNA NADZIEJA
FUNDACJA PODARUJMY ŻYCIE
KLUB DUSZNIKI
LIONS CLUB POZNAŃ NEW DESIGN
FUNDACJA ŻŁOTOWIANKA
POLISH RED CROSS
FUNDACJA PRZYJACIÓŁ PLANETARIUM





Heiztechnik Gruppe Polska
spółka z ograniczoną odpowiedzialnością sp.k.

ul. Przetęcz 27, 60-115 Poznań
Tel: +48 061 830 50 05
fax: +48 061 830 73 63

office@schlosser.com.pl
www.schlosser.com.pl